

# Reinartz Coil Winding; The Single Tube Reflex

# Radio Digest

## EVERY WEEK Illustrated TEN CENTS

REG. U. S. PAT. OFF.

Vol. IV Copyright, 1923 R. D. P. Co. Inc. CHICAGO, ILL., SATURDAY, MARCH 17, 1923 No. 10

# WINS FLEWELLING PRIZE

## CRYSTAL FAN WILL BE FUTURE EXPERT

### LOGWOOD SAYS HE WILL STAND BY AMATEURS

Radical Action Against Trusts Urged—Unless Science Is to Be Thrown in Discard

By A. H. Munday

TORONTO, ONT.—“The harm being done to the advancement of Radio by the big trusts, and the small trusts for that matter, can almost be put down as irretrievable, and unless some radical action is fostered by enthusiasts all over the world the science will soon be on the way to the discard,” declared Mr. Charles V. Logwood, in giving his opinion on the big trusts, and their handling of the circuits. “The healthy development of any new

## TEST CASE ON AIR LAW TO BE MADE

Secretary of Commerce Will File Appeal in Case Against Interstate Company

WASHINGTON.—The Secretary of Commerce will file an appeal in the Supreme Court of the United States in his case against the Intercity Radio Company of New York City. The District of Columbia Court of Appeals recently handed down a decision in which it upheld the Supreme Court of the District of Columbia requiring the Secretary of Commerce to issue a

## PLANTS ENTITLED TO ACKNOWLEDGE WIRES

F. R. Stark, Western Union Attorney, Tells How

CHICAGO.—The regulation of the department of commerce which apparently prevents broadcasting stations from acknowledging telegrams and telephone calls does not prevent Radio operators from announcing the fact that messages have been received, but it does prevent broadcasters from talking directly to the sender of the telegram. This is the view taken by Francis R. Stark, general attorney for the Western Union Telegraph Company. “It seems to me quite evident that a

## FLIVVER SET RACE TAKEN BY STUDENT

To Describe Prize Sets

F. P. Hall and A. J. Barclay Second and Third Winners—Seventeen Win Mention

CHICAGO.—Lawrence M. Blakey, student at the Georgia Institute of Technology, Atlanta, Ga., has been awarded first prize of \$40.00 by the judges of the



‘La Femme Charmante’ above is Nedelka Simeonova, violinist virtuoso, a pupil of Leopold Auer. She is one of the most popular artists who broadcast at WOR, the Bamherger Store station, Newark, N. J.

Miss Lucile Wiseman (left), soprano, and Miss Mildred Wiseman, violinist, artists on the entertaining staff of WOAI, at San Antonio, Texas, are favorites with Radiophans

Mme. Freda St. Jerna, the Swedish Nightingale, has the distinction of being the first singer heard over WOAI, the Radiophone station of the Southern Equipment-Evening News-Express, at San Antonio, Texas

movement is of course subject to certain restrictions and regulations, but the everyday fan with his crystal set is an important person to consider, and his requirements should be considered equally as much as the most powerful stations all over the world. It is from these young (Continued on page 2)

Radio license to the Intercity company. The case will go to the United States Supreme Court as the first test case under the Radio law.

### WEAF Has Mexican Night

NEW YORK.—Mexican Night was a special feature of Station WEAF’s program March 5. A distinguished group of musicians and speakers under the auspices of the Consul General of Mexico in New York City furnished the Radio audience an entertaining and instructive evening. F. P. deHoyos, General Agent of the National Railways of Mexico, delivered a talk on the culture of Mexico.

### New Club for Davenport

DAVENPORT, IA.—A new club was recently organized here known as the Davenport Radio Club. At the first meeting officers were elected as follows: W. R. Yancy, president; H. A. Wright, vice president; Clarence E. Alford, secretary and treasurer.

station may broadcast the information that a telegram has been received and received at a certain time, without any personal communication to the individual, which would violate the regulations,” said Mr. Stark. “It is not the broadcasting of the information that a telegram has been received, but only “the transmission of acknowledgments to individuals relating to the receipt of such a telegram.”

### Wittenberg Heard in England

SPRINGFIELD, OHIO.—According to word received here, messages and concerts sent out recently by the Wittenberg college Radio station here, have been picked up in England. The college station was established only a short time ago and sent out its first program less than two months ago.

BOSTON, MASS.—A recent Radio club is one formed in Holyoke, Massachusetts. A drive is now being made for increased membership.

\$100.00 Flewelling Prize Contest, conducted by Radio Digest. F. P. Hall, Owego, N. Y., won second award of \$25.00, and A. J. Barclay, Tampa, Fla., won the \$10.00 given as third prize.

Fourth to eighth prizes, respectively, of (Continued on page 2)

## ENGLAND HEARS WCX BROADCAST MARKETS

DETROIT.—The Detroit Free Press Radio Station, WCX, has received information from New Castle, England, that broadcasts of its market reports had been picked up in that place. The reports are said to have come in strong and clear. This is the first time WCX has received information that its broadcasting has been heard in England, although they have been reported heard far.

## CHICAGO NOW ADMITS OUTSIDERS MONDAYS

CHICAGO.—Three Chicago broadcasting stations now remain silent every Monday night from 7 o’clock until midnight, to give Radiophans a chance to hear out-of-town stations. This agreement was made recently by representatives before the Radio subcommittee of the council committee on gas, oil and electric light. The new Zenith Edgewater Beach station will also adhere to this plan.

### FLEWELLING AWARDS

(Continued from page 1.)

\$5.00 each were awarded to A. R. Miller, Jr., Spring Valley, Minn.; Charles Priesmeyer, Chicago, Ill.; E. C. Hebert, Detroit, Mich.; J. A. Harris, W. Lynn, Mass., and Thomas Dunphy, Kansas City, Mo.

#### Marked Ingenuity Shown

Marked ingenuity and careful workmanship were found in practically every entry. Distance reception was one of the deciding factors which cost several excellent entries their places in the prize.

High lights on the prize winners are interesting. Mr. Blakey, first prize winner, fulfilled every rule of the contest and submitted a very neat and complete manuscript. His care in treating the subject and building the prize set were considered important factors by the judges in making the award.

Mr. Hall, second prize winner, showed some unique ideas in construction, and even extended his paper to include the making of a two-step Radio frequency amplifier.

Mr. Barclay, winner of third prize, took great care in preparing his description of his set, submitting excellent diagrams and photographs.

#### Third Prize Set Next Week

The third prize set, Mr. Miller's, will be described in the next issue of Radio Digest, that of March 24. The following week (April 7) the second prize set will be described, and in the April 14 issue, the complete description of the first prize set will appear.

The descriptions will be very detailed so as to aid Flewelling fans in their experimental work.

From the many excellent papers submitted in the contest, the judges selected seventeen for honorable mention. The contestants whose papers were worthy of honorable mention follows:

- E. C. Galbreath, Denver, Colo.; W. J. Pusey, Haskell, N. J.; H. C. Borgfeldt, Wilmette, Ill.; L. C. Fairfield, Winnipeg, Manitoba, Can.; E. E. Holmes, Los Angeles, Calif.; Harry Shiples, Salt Lake City, Utah; H. J. Perkins, Lake Worth, Fla.; E. E. Cook, Chicago, Ill.; Dr. B. F. Morrow, New York, N. Y.; E. Schmidling, Milwaukee, Wis.; M. L. Healy, Boston, Mass.; J. B. Rathbun, Chicago, Ill.; H. E. Dudley, Ashland, Ky.; Henry Burr, Kansas City, Mo.; Theodore Madige, New York, N. Y.; J. F. Callahan, Brooklyn, N. Y.; Geo. A. Remling, North Tarrytown, N. Y.

### LOGWOOD SPEAKS

(Continued from page 1.)

Radiophans that we will have to gather our future experts, and unless we gain their confidence, and help them to help themselves, the science will suffer in the next generation," emphasized Mr. Logwood.

#### Raps Certain Firms

He pointed out that as soon as any Radiophan has worked out a new circuit that showed promise of an improvement on the one in popular use, he was immediately requested to submit the plans to certain firms throughout the United States, with the promise of large returns if his circuit proved meritorious. As soon as one of the companies had secured the sole rights they immediately place it out of reach of all except the largest stations, and then at a great expense to the companies licensed to use it.

Mr. Logwood, who is at present figured in an action against Major Armstrong regarding the priority of patenting the Armstrong circuit, is at the present time working on several new circuits with the interests of the small Radiophan at heart solely.

#### Thinks Logwood Will Win

"In my opinion it will not be very long before some action will be taken; perhaps it will be by the small fans themselves," declared Professor J. M. Buckley, of Manchester, England, who is on a tour of Canada and the United States to secure firsthand information on Radio and its application in North America. "I have studied the Armstrong circuit and am also fully acquainted with the claim of Mr. Logwood. In my opinion, Mr. Logwood will win his case, because the United States patent office has already allowed his claim of priority of application, as I understand it. I think that it will be one of the finest moves ever made for the science if Mr. Logwood succeeds, because he is a man, and associated with men, who are far from being purely mercenary. They have the true interests of the Radiophans at heart and with their guidance, that is of Mr. Logwood and his associates, the Radio world will make great advancement."

#### Health Board Uses Broadcast

March 15 to March 22 was Diphtheria Week in Philadelphia. Then Philadelphia's heard all the Board of Health knows about diphtheria "vaccination" cure and treatment. They had the news broadcast to them over the Radio as well as delivered to them by regular pre-Radio day channels.

Reports show that there are about six hundred incorporated manufacturers of Radio apparatus in the United States.

## NAA, Old Time Naval Plant, Responsible for Naming Town in Virginia "Radio"

### When NAA First Began Operation All Transmission Was Conducted from Hut Near By—Now Is Operated By Remote Control On Seven Separate Circuits

By Carl H. Butman

WASHINGTON—There is a town named Radio. It is in Virginia just across the Potomac from Washington. It is there that the gigantic towers of the Naval Radio station, from which the name came, is situated.

Usually it is known as Arlington, being near the great National Cemetery, but the call letters of the station, NAA, are known almost around the world. In the Postal Guide, the tiny village at the foot of the three great towers, one of which is 600 feet high, is listed as Radio.

This Naval Radio station was put in operation in 1912 and was the first of the Navy's chain of high-powered Radio stations to be established. It has only become well-known to American fans since the government broadcasting was transferred there in January, but today many thousands of Radio owners listen in on 710 meters when NAA speaks.

#### Seven Sets Now in Use

When the station was first put in operation only code signals were sent and received. Ten years ago, all operations were conducted on a single set from a little hut nearby under the direction of a superintendent of communications. Today it is different; seven separate transmitting circuits are operated by remote control from the naval and munitions buildings in Washington, from which wire lines link up with the Radio circuits for both army and naval use.

All receiving is done in Washington by special antennae and loops. Simultaneous operation is permitted with six sending

sets without interference, thanks to "duplex operation."

Back in the early days, Chief J. W. Scanlin was listening in one night, on December 29, 1912, to be exact. He heard a curious series of numerals and letters forming words unintelligible to him. He had heard similar characters in code for several nights, but on the night mentioned he copied the message and told his superior officers in Washington that he had heard and copied "FL." He was laughed at. FL was the call of the Eiffel Tower in Paris, and no one believed he could pick up a message from that distant station. He insisted, however, and a report containing the copied message was transmitted to Paris through the Department of State. The reply proved that he was correct. He had copied Eiffel Tower, and correctly except for a few characters. For the first time, an American naval station had caught a European Radio station.

Soon thereafter experiments were undertaken between NAA and the Eiffel Tower and direct two-way communication was established in 1913.

#### Old Set Reaches Far

With the old 100 kilowatt Fessenden spark set, put in operation in 1913, some remarkably long distance results were achieved. Naval vessels in the Mediterranean have copied the time signals, which are still sent out from NAA on this set, after 19 years of service. An amateur in Brazil heard NAA as long ago as 1914, but this is not uncommon today.

Some of the first Radiophone experiments were conducted from Arlington in 1915 when the announcements were received in Pearl Harbor, Honolulu.

## CONTENTS

Radio Digest, Illustrated, Volume 4, Number 10, published Chicago, Illinois, March 17, 1923. Published weekly by Radio Digest Publishing Company, 123 West Madison Street, Chicago, Illinois. Subscription rates, yearly, Five Dollars; Foreign, Six Dollars; single copies, Ten Cents. Entered as second-class matter April 27, 1922, at the postoffice at Chicago, Illinois, under the Act of March 3, 1879.

"All the Live News of Radio"..... 1 to 6
You've Heard 'Em? Here They Are, A Continuation of the Announcer Series..... 5
Receiving Records Contest..... 6
The "How" of the Simplified Circuit, Part VII, by E. T. Flewelling..... 7
Radiophone Broadcasting Stations, Part II..... 8
R. D. Diagram 76; Book Reviews..... 9
Editorials; Condensed by Dielectric; Indi-Gest, Humor Column..... 10
A-B-C Lessons for Beginners, Chapter XI—The Vacuum Tube as an Amplifier—By A. G. Mohaupt..... 11
Tapped Coil and Variometer Circuit; One Knob Control for Tuning a Set..... 12
How to Wind Your Own Reinartz Coils, by H. J. Marx..... 13
Single Tube Reflex Circuit; About Radio Parts, the Antenna..... 14
Questions and Answers..... 15
Radio Illustrated, a Page of Pictures..... 16

## Looking Ahead

Reflex, Reinartz, and Flewelling, featured every issue. Watch for the new developments in these circuits through the columns of Radio Digest.

Third Prize Flewelling Set, designed by A. J. Barclay of Tampa, Florida, will be described in full by the winner himself in the next issue of the Radio Digest. The second and first prize sets will be described in the April 7 and 14 issues respectively.

A New Development in Reinartz Sets, will be the next subject discussed by H. J. Marx. It's good. Don't miss it!

A-B-C Lessons for Beginners, Chapter Twelve next week will take up a two-stage audio frequency amplifier, as well as a detector employing regenerative amplification. Read A. G. Mohaupt's Chapter Eleven on page 11, this issue and fall in line with the other beginners.

The Only Sure-Fire Radiophonists' Telephone Book, Part III with State, City-Station index. Watch for the new feature which will give daily schedules of the high power broadcasting plants.

Last But Not Least, E. T. Flewelling, will tell some more interesting details regarding the experimental work he is doing. Read this too in the March 17 Radio Digest.

Newsstands Don't Always Have One Left

WHEN YOU WANT

## Radio Digest

YOU WANT IT!

BE SURE OF YOUR WEEKLY COPY BY SUBSCRIBING NOW

SEND IN THE BLANK TODAY

Publisher, 123 West Madison St., Chicago, Illinois. Please find enclosed check M. O. for Five Dollars (Six, Foreign) for One Year's Subscription to Radio Digest, Illustrated. Name, Address, City, State

## TORONTO COPS PLAN BROADCAST STATION

### TO BE ONE OF THE MOST POWERFUL IN WORLD

#### Other Canadian Forces Intend to Follow In Footsteps of Chief Dickson

TORONTO, ONT.—One of the most powerful Radio broadcasting plants and long-distance receiving stations in the world is to be installed at the police headquarters in Toronto, Canada, within the next few months if present plans of the police commissioners materialize. In a special interview to a representative of the Digest, Chief Dickson said that before long the department will enter into negotiations, and it is expected that the plant will be in operation before the fall of the present year.

#### To Keep abreast of Times

"We must keep abreast of the times," declared Chief Dickson, "and I have had my ear to the ground regarding Radio for many months. I fully realize that Radio is the coming science that is going to revolutionize police methods, and the world generally, but it should be remembered that there will have to be the necessary government restrictions so that the work of the police and other departments for the protection of the public cannot in any way be interfered with. Yes, the possibilities of the new science are great, especially in the prevention of crime and the detection of criminals. Canada is especially suitable for high powered stations for police work, chiefly because it is a country of long distances and few large police centers. Then again there are many outlying districts that have not yet been equipped with telephones. These centers can now be equipped with high powered Radio stations at small expense, and in this way help in watching for the safety of the public.

#### Awaits Improvements

Chief Dickson is opposed to the immediate installation of a broadcasting station because he felt that there might be some radical improvements in apparatus very shortly, which might make necessary the scrapping of any equipment bought now. For this reason a "watchful waiting" policy will be adopted for a few weeks.

Chief Dickson pointed out that the head of the United States secret service, W. J. Burns, has his own broadcasting station, as have also the chiefs of police of New York, Detroit and other large centers throughout the United States. Almost every Radiophan is acquainted with the Detroit police's appropriate Radio call letters, "KOP."

#### Three Centers with Plants

Communication has been going on with Chief Dickson and the chiefs at Montreal and Ottawa with regard to the opening of a station by the chief in each of these three centers, and it is now reported that all three have definitely decided on the same policy as that of Chief Dickson's. So, when some definite decision is reached, all three centers will have high powered stations, but it is understood that the one to be installed at Toronto will be one of the most powerful in the world in order to be of the greatest service for points throughout Western Canada and also, at the same time, be in touch with all stations in Europe.

The chief stated that he had gone into the matter of cost and other details in connection with the installation and the operation. He has, we understand, full knowledge of the whole situation, and is in a position to take prompt action when it is considered opportune to act.

## NOVEL FAMILY UNION FOLLOWS KYW SONG

### Telegraph Operator Sings for Broadcast—Finds New Cousin

CHICAGO.—On January 8, Frank D. Greif, 2713 Florence avenue, who is a telegraph operator and sings as an avocation, sung over the Radio in the Westinghouse KYW program. Sitting at his Radio set in Binghamton, N. Y., George F. Greif, an electrical engineer, heard the song, and the name of the singer.

George F. Greif, reversing the idea that "you may forget the singer but you can't forget the song," wondered if the singer were a relative, as the name is not a common one. He wrote the Chicago singer and a checkup of their relatives disclosed that they were first cousins, having the same grandfather, Frederick Joseph Greif, born in Germany.

Frank D. Greif, having lost his father when a child, did not know a great deal about his grandparents, but the mother of George, living in Lakeland, Fla., furnished the information that disclosed the young men their consanguinity.

# 'WORLD-WIDE' PHONE COMING—STEINMETZ

## WIZARD OF SCHENECTADY MAKES PROPHECY

Static Elimination, Selectivity, Two Goals Sought—Believes Radio Will Not Supplant Wire Lines

By F. N. Hollingsworth

BOSTON, MASS.—Radiophone talks and concerts will be sent completely around the world from some central broadcasting station in the very near future, says Dr. Charles P. Steinmetz, the electrical wizard of Schenectady, in a recent interview here. "Engineers are working day and night on many things which will revolutionize Radio," he said. "They have been working for years on a scheme to entirely overcome static electricity, and they have nearly reached their goal. There has been a constant improvement in eliminating static, and in the near future I expect to see static interference completely wiped out.

"Selectivity, that is the ability to tune out stations and tune in others to make the use of the Radiophone more secret—is another improvement on which experts all over the world are working. These men have made remarkable strides in the past year, but in the coming few months I expect to see much more accomplished.

### See Future of Utility

"I see no reason why, in the near future, Radio communication cannot be made almost as fool-proof as the land line telephone of today. It will be possible, I believe, to carry on a Radiophone conversation with a far distant station on a pre-arranged scale of wave lengths without the fear of others listening in.

"I do not believe that the Radio will ever supersede the land line telephone system, however. There is too much need for both for either to crowd out the other. They are both here and here they will stay. We cannot get along without the telephone for certain uses and we cannot now get along without the Radiophone. They both have separate missions in our business and social life."

# Dedicate KOG as Sub-Station of KFI

Los Angeles Evening Herald Has No Transmitter but Works as Remote Control

LOS ANGELES, CALIF.—On Monday, January 29, at 5 o'clock, Radiophans who were listening-in heard, "This is the Evening Herald broadcasting through the central Radio station at Anthony's, Los Angeles." This was the re-dedication of KOG. This station is now only a remote control for KFI, the 500-watt plant of Anthony's, Los Angeles.

Since that time and henceforth Radio Station KOG, it still retains its old call letters, goes on the air every afternoon and every alternate evening at the hours named above. The afternoon programs include Radio news bulletins, and closing market reports.

The code lessons which became a part of the Herald's Radio program with the old station will be suspended until plans are worked out at a later date to continue the same, as there are many boys who desire to learn code receiving and many others with a knowledge of telegraphy get entertainment from listening in on Radio signals.

The opening concert which was Radiophoned from the new input station of The Evening Herald was heard and enjoyed by thousands of Radiophans throughout the Western States. The program was made up in equal proportions of both vocal and instrumental music.

Instrumental numbers for the program were furnished by the famous Fuhrer string quartet who have delighted music

# SONG LOCATES MAN'S BROTHER OVER ETHER

BERLIN, WIS.—While listening to a quartet giving a program recently from station WLAG of Minneapolis, Dr. B. E. Scott of this city heard the announcer say: "I hope Dr. Scott of Berlin, Wis., is listening in." The doctor then realized that he was listening to a quartet one of whose members was his brother. He called the station by long distance telephone and five minutes later heard his brother's voice bidding him a "good-night."

# NEW ZEALAND HEARS WHAZ—NEW RECORD

TROY, N. Y.—Words and music broadcast by Radio telephone from the Rensselaer Polytechnic Institute station here have been heard distinctly in New Zealand, according to a cablegram from Invercargill, N. Z., reaching the station today. This is regarded here as a new record for distance, the airline mileage to Invercargill being nearly 10,000 miles. New Zealand fans heard WHAZ on three separate days.

# GANNA WALSKA SINGS FROM WJZ



Above is the first exclusive photo of Mrs. Harold McCormick, nee Ganna Walska, lyric soprano, singing over the Radiophone. The picture was taken on the occasion that Mme. Walska sang over Station WJZ direct from the Waldorf Astoria following her arrival in America. © K. & H.

lovers with their interpretation of classical scores. The vocal numbers were presented by the well-known Carl Bronson Artists who have appeared from time to time on the Radio programs of KOG. The Bronson artists are known throughout Southern California and their appearance at KOG is always looked forward to with interest. Prof. Carl Bronson presided at the piano for the concert.

# WHA Broadcasts Religious Services by John R. Mott

MADISON, WIS.—Radio Station WHA, University of Wisconsin, recently broadcast the addresses given Sunday afternoon and evening, March 4, by Dr. John R. Mott,

principal speaker at the religious conference held at the university, March 2 to 4. An additional feature of the program broadcast was songs by the Fiske University quartet of Nashville, Tenn.

Amateurs within 200 miles listened to Dr. Mott's speech Sunday afternoon, and it is estimated that the evening address was heard within a radius of 1,000 miles.

# New Plant for Ann Arbor

DETROIT.—The Times-News of Ann Arbor is the newest broadcasting station in Michigan. It is known officially as WQAJ and operated on 360 meters. This station is broadcasting concerts in connection with the musical interests of the University of Michigan and Ann Arbor.

# WHITE BILL DEAD AS CONGRESS ADJOURNS

## NINE MONTHS BEFORE NEW BILL CAN BE MADE

Department of Commerce Must Continue under Ancient Law Enacted 10 Years Ago

### BULLETIN

WASHINGTON.—During the closing hours of Congress the White resolution, providing for an investigation by the Federal Trade Commission of the alleged monopoly in the Radio industry, was passed by the House of Representatives. No time is set for the completion of the report and therefore the results will probably not be made public until the next session of Congress.

The White Radio bill which passed the House some weeks ago died a natural death in the Senate, owing to the continued opposition of some of the Democratic members to increasing the power of the secretary of commerce.

Secretary of Commerce Hoover announced that he will call a Radio conference to consider the temporary assignment of new wave lengths. Invitations for the conference have not gone out yet but the secretary stated it would probably be held March 20.

The secretary will reassemble the committee that acted during the last Radio conference which was held at the department of commerce, about a year ago. The conference will be held largely because of the failure of the White bill to pass Congress. Hoover stated that he could hardly believe that there was anything in the rumor, which has been current for some time, that the Radio Corporation of America succeeded in killing the White Radio bill in the Senate.

WASHINGTON.—The White Radio Bill died in committee along with a number of other important legislative documents when the 67th Congress adjourned on March 4. The House and Senate do not convene until December 4, when a new bill will probably be introduced—but that is nine months away.

Whether Secretary Hoover can manage to keep the ether from getting more jammed with broadcasts and other Radio communications without legislation, remains to be seen. Lack of a new law makes it necessary for the Department of Commerce to continue under legislation enacted ten years ago when broadcasting was unknown and there were few commercial and amateur stations.

### Will Try to Use Old Law

It is probable that the Secretary will undertake the partial reallocation of wave lengths within the limits of the existing Radio law in an effort to reduce interference and make for peace in the ether.

Just what plans the department has for improving conditions in the present Radio pandemonium, are not known, but a plan for execution within a few months is being worked out, it is understood.

### To Appeal Inter-City Case

The decision of the District Court of Appeals requiring the Secretary of Commerce to reissue a license to the Inter-City Radio Company of New York, although that station has been severely complained of due to interference, will be appealed, it was announced recently.

Secretary Hoover and his solicitor have taken the matter up with the attorney general's office requesting that the case be appealed to the Supreme Court of the United States. It was the action of the Court of Appeals that caused Secretary Hoover to state recently that: "This removes the last shred of the Department's authority over Radio."

Radio played an important part in the ceremonies conducted in connection with the two-hundredth anniversary of Benjamin Franklin's entrance into Printing House Square, New York.

# THE ANTENNA BROTHERS

# Spir L. and Lew P.

# But Wait Till We Bust the Trust



## THREE RAILROADS IN SOUTH HAVE PLANT

### TRAVELERS LISTEN IN TO CONCERTS ON TRAIN

Ex-College Boys Organize Novelty Orchestra to Furnish Music for New York Limited

By Vera Brady Shipman

There are three railroads in the middle south, privately owned, which can boast of the only railroad ownership Radio broadcasting station in the world. These roads, the Atlanta and West Point, the Western Alabama, and the Georgia railroad, are all under the presidency of C. A. Wickersham with his son Frank Wickersham as signal engineer for the three, and director of Radio.

The College Park Radio station was originally put in to broadcast train dispatches with the experimental call letters 4XO. The idea of broadcasting programs was developed and the companies' own orchestra was gathered together and placed at College Park in 1921 when the programs were installed for reception on trains running on these roads between Montgomery and Atlanta, and the through New Orleans to New York lines. The receiving set is placed on the diner of the train and the whole train assembles after the evening meal to hear the programs of jazz orchestra tunes.

#### Try Various Stunts

Interesting combinations have been used by degrees of amplification. In one instance a violin solo was played on the train to the piano accompaniment in the College Park studio broadcast to the train. Other combinations of orchestral instruments have been effected by train and studio, with exact rhythm and time.

The station is in charge of I. Miller and B. W. Benning, whom I met at the Constitution office in Atlanta preparatory to my trip to College Park. The announcer is Gene Curtis, a local College Park lad, son of a local physician. There are five musicians on the orchestra staff programs: Fred Graf, director, playing violin, saxophone and trombone; "Nick" Nickolas, an overseas veteran who combines piano, voice and a rare buzz on a comb; Frank Caldwell, voice and banjo; F. B. Myers, saxophone, and Frank Cortis, a genuine Hawaiian steel guitar soloist.

#### Broadcast for Passengers

Their programs are broadcasted at 7:30 and 8:30 p. m., and 10:30 and 11:30 p. m., expressly for entertainment of passengers on board the New York limited while running from West Point, Georgia, to Atlanta.

WDAJ, as the College Park station calls, is a 500-watt station operating on 360 meters in Class A. They have been heard at Buenos Ayres, at sea and in every state and Canadian provinces, according to their map which they proudly display.

## NAVAL BAND MUSIC WINS RECORD PACT

Concert Broadcast from Station KHJ Results in Compositions Being "Canned"

LOS ANGELES, CALIF.—Through the advancement made possible by Radio, the music of the naval band of the battleship U.S.S. Oklahoma has been preserved for posterity. A short time ago this band was received at Radio station KHJ, the Los Angeles Times, in their studio to be monitored in preparation for the naval-Radio concert which was presented a few evenings later by the officers and enlisted men of the U.S.S. Oklahoma from Radio station KHJ. The harmonious result of this monitor test was so satisfactory that the band was put "on the air."

Among those who were listening in to the concert was Theophilus Fitz, president of the Golden Record Company of this city, who immediately completed arrangements with the band to make two records prior to the special naval-Radio concert through KHJ.

The records have proven a distinct success and arrangements have been made through the reproducing company to place these records free of charge on every American vessel in naval service. Permission has also been given to place a reproduction in colors of the battleship Oklahoma on the records.

Efforts to afford relief to the deaf and dumb by means of Radio are producing encouraging results. One child of twelve had his hearing developed to a point where he pronounced the word "Dog" when a picture was shown—the first word he had ever spoken in his lifetime.

## REINARTZ



COILS \$3.00

E. & O. PRODUCTS  
P. O. Box 1064, CHICAGO

## GERMANS HEAR WOR'S TRANS-OCEANIC TEST

Teutons Listen In on American Concert for First Time


NEWARK, N. J.—A cable from Lichterfelde, Germany, a suburb of Berlin, states that Miss Edith Bennett, the young American soprano who sang for an overseas Radio concert recently from Station WOR, was heard by the Seehof experimental station at six o'clock in the morning, which, allowing for the five hours' difference in time, would be midnight Eastern Standard time. This is the first time Germany has listened in on an American Radio concert, so far as has been reported. Eight high vacuum amplifiers were used in receiving, but only ordinary antenna, eight meters high.

## Radio Tubes Repaired

UV 200—C 300.....\$3.00  
UV 201—C 301..... 3.50

The right filament and proper vacuum. All tubes guaranteed as good as new. Mark plainly. Pack carefully.

Radio Supply and Repair Co.  
1045 NORTH WELLS ST., CHICAGO, ILL.  
Repair returns 15 days after receipt.



KELLOGG SWITCHBOARD & SUPPLY COMPANY  
Chicago

## ORIGINAL NATHANIEL Baldwin Type C HEAD SET Complete



SPECIAL PRICE \$11.75

Free with each pair of these world's best phones we give absolutely free a \$5.00

## Sheltone Loud Speaker

This is a wonderful Loud Speaker. Both for less than the regular price of the phones. Head set can be used in the regular way as well as on Loud Speaker.

Cash with Order or C. O. D.

WALTER SCOTT  
10 St. Lukes Pl., MONTCLAIR, N. J.

## DON'T GUESS

USE A Premier "7-in-1" Variable Radio Resistance for All Tube Sets



PRICE 50 CENTS EACH

Has seven carefully calibrated values of resistance of approximately 1/4 megohm each between terminals. Protecting bakelite discs assure permanency of resistance. Don't guess—it is important to have resistances properly adjusted to function with your other apparatus to get the best results from all tube sets.


PREMIER UNIVERSAL RADIO PRODUCTS—ARE high grade and efficient. Request bulletin covering complete line.

DISTRIBUTORS: Some territory open for live, responsible concerns.

Premier Electric Company

Manufacturers—Est. 1905  
(Dept. A) 3802-3810 Ravenswood Ave., Chicago, Ill.

## The Only Set Backed by Written Guarantee



Winn SCR-11

WINN Sets were perfected long before the radio craze started—hundreds working successfully when radio was handled by technical men only. They are not experiments—not built of hastily assembled parts gathered haphazard.

WINN Sets are scientific—the result of years of study and actual experience. We design and build every one complete—so positive of their built-in quality, precision, performance, that we give a definite, all-covering written guarantee of service and satisfaction with every set.

The SCR-11, shown above, is a remarkably fine set that is guaranteed to operate a loud speaker at any distance up to 1000 miles, without distortion. It is practical, highly sensitive, easily handled, and comes in a beautiful mahogany or walnut cabinet, with engraved bakelite panels.

Exceptionally high efficiency—Vernier attachments—balanced condensers—copper shields—may also be used with loop aerial. All at reasonable cost—\$155, f. o. b. Chicago.

Ask your dealer or write for full details.

DEALERS—Write for interesting proposition


WINN ELECTRIC CORPORATION

Radio Sets and Supplies

Transportation Bldg.

Chicago

## Crown Products For Radio Perfection



Licensed under De Forest Patents


List Price \$5.00

## CROWN "WD 11"

The Transformer Designed Especially for Use with "WD 11" Tubes

The reputation gained by the Crown "W D 11" with jobbers, dealers and users is evidence that there is no other transformer giving such reliable service in amplifying without distortion. The Crown "WD 11" is mechanically perfect, ruggedly constructed and priced right. It is a transformer all jobbers and dealers can back to the limit.

We also manufacture  
23 PLATE VERNIER CONDENSER.....\$5.50  
43 PLATE VERNIER CONDENSER..... 6.50  
BAKELITE MOULDED VARIOMETER..... 8.00  
BAKELITE MOULDED VARIOCOUPLER..... 9.00



Audio Frequency, \$5.00  
Radio Frequency, \$4.00

At your dealer's—otherwise send purchase price and you will be supplied postpaid.

Crown Radio Manufacturing Corporation  
78 FIFTH AVENUE NEW YORK CITY

# YOU'VE HEARD 'EM? HERE THEY ARE!



Of course you know who "Uncle Billy" is—if you have ever listened in on WGI, Medford, Massachusetts. Here is a picture of "the bedtime story man" (center above). We are sorry to say that Peter Rabbit and Johnnie Chipmunk were not at the station when the photographer called or we would have made it a group. While a lot of the kiddies have the impression that "Uncle Billy" looks something like Billie Possum, there are some grown-ups who still think "G. C. A." (G. C. Arnoux), program director of WBAP, Fort Worth, Texas, is "fat and forty." We are forced to run a picture of "G. C. A." (left), in order to cut down on some of our correspondence correcting this rumor that is riot among the fair sex. At the right is Harry Sadenwater, who has been placed in charge of the technical direction of the General Electric Company's broadcasting plants. Sadenwater will be remembered as the Radio officer aboard the ill fated NC-1, one of the three flying boats of the United States Navy that attempted to cross the Atlantic in May, 1919. Mr. Sadenwater's craft ran into a heavy fog and was forced to seek safety in the ocean. The plane was badly damaged by waves but the crew was finally rescued by a Greek freighter.

## BRITON'S STATIONS PURPOSELY LIMITED

LICENSED RECEIVING SETS DEFRAY EXPENSE

Four Broadcasting Plants Supply News and Time for All of the British Isles

By F. N. Hollingsworth

LONDON, ENGLAND.—Britons have only four broadcasting stations to entertain them and to provide the news of the day via the air, but, considering the size of the British Isles, this seems to be amply sufficient. The number has been purposely limited, however, to lessen interference. Receiving stations are licensed, and a portion of the license fees turned over to the broadcasting stations through the British Broadcasting Association to help defray expenses of the work. The largest station is at Marconi House, with call letters 2LO, and wave lengths of 400 and 800 meters, using 1500 watts power. The station at Manchester, 3ZY, has 800 watts power and a wave length of 385 meters, while the other two are 5NO at Newcastle on 400 meters and 5IT at Birmingham, on 420 meters. In tuning in to attempt to pick up England, fans should remember that London is five hours earlier than Eastern Standard time.

## Fans Wire and Phone in on WQAM's Clearness

Hotel Guests Dance by Music of Miami Plant

MIAMI, FLA.—Telegrams, letters and telephone calls coming in to The Metropolis tell of the clearness with which the programs put on by the new Radio station WQAM are heard. Among the cities reporting by wire or letter are Glen Cove, N. Y.; Somerville, N. J.; Needham, Mass.; Arcadia, Orlando and Hialeah.

Telegrams, local and long distance telephone calls, received during the broadcast of WQAM attested to the popularity of Tasillo's Le Bal Tabarin Orchestra of Hartford, Conn., which furnished a recent program.

This orchestra is now filling a season's engagement at Luna Park dancing pavilion. In several of the leading hotels of Miami and Miami Beach guests often dance to its music which was received over Radio and The Metropolis has received many expressions of thanks by telephone and telegram.

## DE FOREST AWARDED MEDAL BY INSTITUTE

Special Committee Appointed to Investigate the Audion

PHILADELPHIA.—Presentation of the Elliott Cresson medal to Dr. Lee de Forest for his invention of the Audion or three-electrode vacuum tube took place here at the Franklin Institute of the State of Pennsylvania in connection with a joint meeting of the Institute of the Philadelphia Section of the American Society of Civil Engineers.

The special committee appointed by the Institute to investigate and report upon the Audion consisted of Mr. Charles E. Bonine, chairman, and Dr. George A. Hoadley, with the following consulting members: General J. J. Carty, Dr. A. E. Kennelly, Major General George Owen Squier, Mr. John Stone. The presentation address was delivered by Dr. Walton Clark.

The report upon which the award was made says in part:

"This invention of the three-electrode vacuum tube for the purpose of amplifying minute electrical currents and pressures, called by the inventor the Audion and variously known as the electron amplifier, thermionic amplifier, three-electrode bulb, et cetera, the specific invention considered in this report, is one of the most important ever made in the field of the electrical transmission of intelligence and through its development has worked a profound revolution in the art of Radio communication."

## Glee Club Contest Is New Novelty of Station WEAF

NEW YORK.—Picking the winner of the Intercollegiate Glee Club Contest was the Radio audience's unusual privilege on the evening of Saturday, March 3, when WEAF broadcast the college men's voices through a special direct wire installation at Carnegie Hall. Entered in the contest were glee clubs from Yale, Harvard, Princeton, Columbia, Dartmouth, Cornell, University of Pennsylvania, New York University, Pennsylvania State, Amherst, Wesleyan and the University of Wisconsin. The latter is winner of the Intercollegiate Prize Contest held in the Middle West.

Each glee club sang one "light" song and one "college" song of their own selection, followed by a rendition of "The Hunter's Farewell" by Mendelssohn. The complete vocal merits of each club may thus be fairly judged. The Radio audience not only enjoyed a program of unusual merit, but had the opportunity to test its discriminative powers in selecting the winner, whose name is yet to be announced through WEAF as soon as the judges' decision is reached.

## ETHER WAVES BRING SON BY FLYING BOAT

Huge Seaplane Delivers Man to Mother's Side

MIAMI, FLA.—The eleven-passenger flying boat Buckeye of the Aeromarine Airways, Inc., performed an unusual service recently aided by a new Radio apparatus carried aboard the huge seaplane, according to advices received by C. F. Redden, president of the company, at the executive office, Times building, New York.

Shortly before the Buckeye sailed on its first trip to Nassau from Miami, a Radio message was received from Carter De Gregory at Settlement Point at the west end of Grand Bahama island, stating that his mother was seriously ill in Nassau and requesting that the Buckeye stop for him and carry him to the British island.

F. Kuback, Radio operator aboard the Buckeye, sent a message from the flying boat to a ship in harbor at Settlement Point giving directions to have Mr. De Gregory aboard a small boat ready to be transferred to the aircraft.

The descent was made promptly for Mr. De Gregory and the voyage was resumed without delay; the Buckeye arriving in Nassau that evening.

## Pullman Conductor Gives Passengers Air Concert

Receiving Set Furnishes Music for 400-Mile Trip

TEXARKANA, TEX.—People here who were passengers on Kansas City Southern passenger train No. 1, southbound, March 1, are discussing what they profess to be the first Radio entertainment for railway passengers in this territory.

The Radio set is the property of Pullman conductor, Tom Chapman. It was installed in the Pullman with aerials running along the top of the coach. The set furnished the passengers with concerts all along the 400-mile journey between here and Kansas City.

## Hear WHB in New York Tube

NEW YORK, N. Y.—Officials of the Interborough Rapid Transit company of New York recently used the subway and East river tunnel to test Radio reception. Kansas City, WHB, was picked up in the concrete tube sixty feet under ground, and also midway to Brooklyn in the tube under the river.

Every state in the Union reported having heard WGY on Christmas eve. At the same time WGY was heard in London, Liverpool, Mexico, Porto Rico, Cuba and Canada.

## CREATION OF NEW DEPARTMENT ASKED

NEW POST OFFICE DEPT. WILL INCLUDE RADIO

Adoption of New Department of Communication Is Not Urged By President

By Carl H. Butman

The creation of a Department of Communications, including Radio, is suggested in the report on the reorganization of the executive departments submitted to the joint committee of Congress by the President a few days ago.

The committee, headed by Walter F. Brown, suggests that the Post Office Department be renamed the Department of Communications, and that it include an Assistant Secretary for Telephone and Telegraph, including Radio.

To Add Development Bureau

In the report Mr. Brown says in part: "The only important change contemplated is the addition of a bureau (to the Post Office) to develop and extend telephone and telegraph communications, including Radio, for the general public benefit."

Apparently the Navy would retain its communication system as would the Signal Corps, but it is evident that Radio regulation would be transferred from the Commerce Department to the Department of Communication, although the Bureau of Navigation, under which the Radio section operates today, is left in the Commerce Department.

President Does Not Urge Adoption

Although the report is labelled as recommended by the President, his letter of transmittal states that with few exceptions, the changes have the sanction of the cabinet, and adds that it is his hope that the suggestions will be of assistance to the committee. Further than that, the President does not appear to urge its adoption.

## Signal Corps Establishes Two New Army Net Stations

WASHINGTON.—The War Department has announced that Radio stations are to be established by the signal corps at Fort Sill, Okla., and Fort Leavenworth, Kans., as a part of the army Radio net. The station at Fort Leavenworth will be a relay point for transcontinental business. The signal corps land line in Alaska extending from Fort Gibbons to Koyukuk, a distance of about 200 miles, is to be abandoned, and a Radio station will be established at Ruby to take care of the locality previously served by that line.



# The "How" of the Simplified Super Circuit

## Part VII—Listening in to DX Stations Without an Aerial

By E. T. Flewelling

BECAUSE the writer started a new set and had photos taken of it to give the fans an idea as to how the material can be assembled, it seemed only fair to continue with the set and see what may be done with it. Considering that the Flivver is used by many who are not able, or do not have the privilege of putting up an outdoor antenna, it is best to build the outfit without thought of using an outdoor antenna at all.

The writer most of the time uses his Flivver without an outdoor antenna, but because there was a chance of its presence influencing the results, he checked up by disconnecting the aerial from the entrance to the house and took it down temporarily. After every chance of aid from the aerial was eliminated he prepared the Flivver for its test. The set had been wired and so a two-foot loop and variable condenser were simply placed across the tuning inductance. Then a wire was run to the ground from the grid side of the inductance.

### Found Minimum Wave Length 380

The Flivver certainly was full of "pep," and although it was after 4:00 p. m., and the Shepard Stores (WNAC) was on the air or "the ground," the writer was unable to get them. The tuning condenser and the loop condenser were set at their minimum and the set was then checked by use of a wavemeter. It was found that the lowest point which could be reached was 380 meters.

A Giblin Remler 50-turn coil was being used and it was decided to make some changes in the coil. It was removed, five turns were taken off, and then the coil was replaced. A smaller variable condenser, .00025 mfd., was placed in the loop circuit and before the writer had a chance to put on the phones we heard the announcer say, "WNAC, the Shepard Stores, Boston."

### Coils Have Too High Wave Length

The wavemeter now showed that the set had a range of from 335 meters to 425 meters. Most of the 50-turn coils have proved all right for broadcast use, yet more than once it has been found necessary to set the tuning condenser at the zero point on the dial before even the slightest sound of broadcasting on 360 meters could be heard, and it was necessary to remove a few turns of wire from the 50-turn coil.

As a rule the coils run very good and no trouble has been experienced from this source with the 400-meter stations. It is therefore an easy matter to check up, that is, if one hears 400-meter stations but none

in 360-meters he may be sure that it is because his set cannot tune low enough.

The first station was very loud but not so clear. The grid leak R1 was changed so that the squeal was raised in pitch to a point where it was less prominent. The condenser leak R2 as a rule can be kept more or less constant after it is set correctly.

When the grid leak was adjusted so that the squeal was hardly audible the station was lost. The leak was increased in resistance to a point where a slight click was heard in the phones and then the "lost" station came in perfect. So loud was it in fact that the phones were put on a horn. The broadcast could be heard by sitting from 5 to 10 feet away from the horn.

The set was left then for more than an hour and returned to at about 7:00 p. m. for the evening's work.

### Working for Distance

It was not long before stations outside of Boston were heard. They came in rather poorly and were hard to get because the Boston stations were too close to us and blanketed the weaker and more distant stations.

A total of 15 different stations were received during the evening. It must not be taken that they all came in "like a brass band," because this was not the case. Some of them were pretty weak by the time that they arrived. WGM, Atlanta, Ga., came in with so much outside noise that the writer was unable to make out who it was until the phones were on the horn. In the next room the smaller, or rather weaker noises and the the announcer's voice could be heard better. Reception

in many cases was not at all good from a musical standpoint because the set had to be pushed too hard.

### Distance Versus Musical Quality

Distance work carries with it little of value as far as music is concerned, but the greater the distance your set is capable of covering, the easier and better will it get the nearby stations. Quality and distance very seldom combine one with the other.

During the evening several different tubes were used in the set, and all gave results. Some tubes gave louder reception than others, but all were able to handle the DX work. Most of the work

was done with a UV-201 using 125 volts on the plate.

### Typical Flivver Evening

The above is simply given as a typical evening with the Flivver. Results are sometimes better one evening than another, of course, but the question has been asked so many times whether the Flivver can get the distant stations that it seems but fair to show what can be expected of it.

Here is a little hint. The Super Flivver set is not working at its maximum unless sooner or later, you are able to bring in on the ground alone a station that is 1,000 miles away from you.

BUYERS OF RADIO MERCHANDISE CAN SEE THE EXHIBITS OF NEARLY A HUNDRED LEADING MANUFACTURERS OF RADIO MERCHANDISE AT THE

## Radio Fair

Don't Miss the  
Radio Sensation  
of the World

AT THE

Permanent Radio Fair, Inc.  
HOTEL IMPERIAL  
Broadway and 32nd St., New York

### Improved Detector Tubes

\$5.00 VALUE  
\$2.35

Above Tubes Absolutely Guaranteed  
Limited Supply on Hand  
Include Parcel Post with Order

FEDERAL SALES CO.  
MASONIC TEMPLE, CHICAGO, ILL.



## How to Make a Flewelling Receiver

**COMPLETE Blue Prints**  
for the construction of a Flewelling Receiving Unit and two step amplifier.

Instructions for Assembly  
Description of apparatus and accessories and details of tuning.

**CABINET DIMENSIONS  
PANEL LAYOUTS  
LIST OF PARTS**

Send only money orders—no checks or stamps. Coins at your own risk.

Book Department  
**Radio Digest**  
123 W. Madison Street, Chicago, Ill.

*Only 50¢*

# RADIO

## Manufacturer Direct to You

Lowest Prices Highest Quality

Everything guaranteed as represented.

## Coast to Coast Receiving Apparatus of the Very Best Material

We are including all standard articles of the highest class in the sets herein described. Have a number always on hand, packed for immediate shipment.

### Reinartz Complete Parts

Consisting of 7x18 panel, 23 plate condenser, 11 plate condenser Barrchias inductance coil used in Reinartz circuit, 2 dials, one bakelite socket, 3 switch levers, contact points, Freshman variable grid leak, vernier rheostat, 8 binding posts, 25 feet wire, and diagram for construction, **\$10.95** for only

### Flewelling Complete Parts

Consisting of 6x14 panel, one 23 plate condenser, one composition dial, 2 honeycomb coils, one double adjustable coil mount, one Freshman variable grid leak, one condenser, one vernier rheostat, one bakelite socket, 8 binding posts, 25 feet wire and construction diagram, **\$11.95** for only

### Moco Wonder Circuit Complete Parts

(Something new, wonderful and efficient.) 1,000 mile range and over. Consisting of 6x10 panel, 23 plate condenser, W.D.-11 socket, one honeycomb inductance coil, panel and coil mountings, one rheostat, .00025 fixed condenser with panel grid leak, 8 binding posts, 25 feet wire, and complete construction working diagram, for only **\$7.95**

### Two Stage Amplifying Unit Complete Parts

Can be attached to any of the above circuits, giving a longer range and 100% more efficiency in volume of tone. Consists of two transformers, 6x10 panel, 2 bakelite sockets, 3 jacks, 2 rheostats, 7 binding posts, wire and construction diagram complete for **\$10.85**

### This Week's Special—3,000 Ohm Headsets

These phones are unusual bargains, excellent standard make, with patented universal joint, adjustment on receiver, **\$3.95** and comfortable band for head. Regular list, \$7.50.

Vernier dial control, 75c value.....	42c	Vernier rheostat, \$1.25 value.....	92c
4 Phone Control post, 75c value.....	42c	2-inch Composition dials.....	22c
W.D.-11 Bakelite sockets, 75c value.....	60c	75c Value phone plugs.....	46c
V. T. Bakelite sockets, 75c value.....	28c	Battery hydrometers, 75c value.....	40c
Plain rheostat, \$1.00 value.....	48c	Soldering outfits, \$1.00 value.....	85c
Super crystal.....	20c	Glass crystal detectors.....	65c
Single open circuit jacks.....	35c	Series parallel switch lever.....	39c
Double closed circuit jacks.....	45c	Double open circuit jacks.....	40c
75 Turn coils mounted.....	90c	50 Turn coils mounted.....	90c
		Inductance switches.....	\$1.20

180 degree VARIOCOUPERS, Silk wire wound, with special bakelite discs at soldering points. Regular \$4.50 value..... **\$2.90**

Basket wound VARIOMETERS (no dielectric interference)..... **\$2.90**

Two coil mountings, bakelite, knob control, \$3.50 value..... **\$2.60**

Three coil mountings with graduated dials on top..... **\$3.45**

Woodehorn loud speakers, look like Western Electrics..... **\$7.50**

Everything guaranteed exactly as presented. Please send money orders whenever possible. This insures quicker delivery. Correspondence cheerfully answered. Write us.

Write us. The House of Service and Quality




## RADIO

**MANUFACTURERS OUTLET CO.**  
Moco Products 28 So. Wells Street, Chicago, Ill.





**FLEWELLING BASIS OF R.D. 76**



Many attempts have been made to adapt the Flewelling condenser bank to other circuits, some of which have given very good reception while others show but doubtful performance. One of the new developments of this circuit is given here as Hook-Up R.D. 76.

For some time .006 mfd. condensers were rather scarce on the market so the more standard capacity of .005 mfd. was substituted.

A 50-turn honeycomb coil is used in the antenna circuit with a .001-mfd. vernier variable condenser in series on the ground side. Regeneration has been increased by the use of a 250-turn honeycomb coil in the plate circuit. In addition a .00025 mfd. variable condenser is placed in series between the antenna and plate. A variable grid leak with a .00025 mfd. grid condenser is used as in the original

Flewelling. A fixed condenser of .001 mfd. capacity is shunted across the telephone receivers. A hard tube is used in combination with about 90 volts of B battery in the plate circuit.

The resistance of the variable grid leak should be kept high and the filament rheostat, which should be of the vernier type, is turned on about three-quarters of full current. The plate condenser is kept low while the condenser in the ground circuit is adjusted for wave length. The coupling between the two coils is adjusted for best results in conjunction with variations of the plate condenser. Often the grid leak and the rheostat can be readjusted for improvements in reception.

The controls for tuning are numerous and require a little practice and some skill in operation, but the circuit is very selective and will amply repay the experimenter in results.

**Gold Plated Aerials**

Gold-plated wire for the antenna is the latest for the utmost efficiency. R. H. G. Mathews, of Chicago, central division manager of the American Radio Relay League and one of the best known amateurs in America, uses gold-plated wire to avoid corrosion, which increases skin resistance and so lowers efficiency.

Never use oilcloth as a cover for the table on which a Radio is placed. It acts as a conductor.

**Book Reviews**

**The Radio Amateur's Handbook.** By A. Frederick Collins. A new revised edition of this book is just out. It is a complete authentic and informative work on Radio. Fully illustrated. Price, \$1.50.

**Home Radio—How to Make It.** By A. Hyatt Verrill. This book is particularly adapted for the amateur who desires to know how to make Radiophones. Twelve full page illustrations and diagrams. Price, 75c.

**The Armstrong Super-Regenerative Circuit.** By George J. Eltz, Jr., E. E. This is a De Luxe edition of this famous circuit. Profusely illustrated and fully explained. Fifty-two pages. Price, \$1.00.

**How to Retail Radio.** A new book telling of tested plans and methods and policies for the dealer in Radio. Financing, location, store equipment and arrangement. Price, \$2.00.

**Revolutionary Theories in Wireless.** By Frank E. Summers. A treatise in the how and why of Radio and science. A practical result of years of careful study and research by the author. Non-technical, written so you can understand it. Price, \$2.50.

**Radio for the Amateur.** By A. H. Packer and R. R. Haugh. The underlying principles of Radio thoroughly explained in simple language and understandable illustrations. This book will teach you how to construct and operate a receiving set successfully. Price, \$1.50.

**Radio Reception.** By Harry J. Marx, Technical Editor Radio Digest Illustrated, and Adrian Van Muffling. A simple treatise on Radio reception. Beginning with the elementary principles of electricity it carries the reader on into the essentials of Radio telephony. The most successful methods of Radio reception are explained and special reference given to practical tuning. 230 pages, with 130 illustrations. Price, \$2.00.

The book department of the Radio Digest is prepared to send you any of the books on Radio published, whether listed in our Book Review or not. Let us know what book you want, send us your check and we will see that the book is mailed to you. Postage stamps in payment for books not accepted. Send money order or check. Radio Book Department, Radio Digest, 123 W. Madison St., Chicago, Ill.

Never operate a receiving set in the cellar or other damp place.

**ALL AMERICAN AUDIO TRANSFORMERS**

- 10-1 for 1st stage.....\$4.75
- 5-1 for 2nd stage..... 4.75
- 3-1 for 3rd stage..... 4.50

REAL DEALER DISCOUNTS

DUNGAN RADIO CO.

68 WEST WASHINGTON ST., CHICAGO

**FORMICA**  
Laminated Phenolic Condensation Product  
SHEETS TUBES RODS

**RADIO PANELS**  
POLISHED BLACK FINISH


CUT PERFECTLY SQUARE TO ANY SIZE

1/32" THICK	1/2¢ PER SQ. INCH
1/16" THICK	3/4¢ PER SQ. INCH
3/32" THICK	1¢ PER SQ. INCH
1/8" THICK	1 1/2¢ PER SQ. INCH
3/16" THICK	2¢ PER SQ. INCH
1/4" THICK	2 1/2¢ PER SQ. INCH
3/8" THICK	4¢ PER SQ. INCH
1/2" THICK	5 1/4¢ PER SQ. INCH

SEND FOR COMPLETE PRICE LIST  
PROMPT ATTENTION TO MAIL ORDERS  
DEALERS PRICES ON APPLICATION

**STARRETT MFG. CO.**  
519 SOUTH GREEN ST. CHICAGO

**INCREASE YOUR RANGE**  
BY ADDING A PERFECTLY CONSTRUCTED VARIABLE CONDENSER TO YOUR SET



- 11 PLATE.....\$1.25
- 23 PLATE..... 1.40
- 43 PLATE..... 1.75

Mail Orders Filled Same Day

Postage Extra No Personal Checks Accepted

**B. K. Ford & Co.** 4343 West Fifth Avenue  
CHICAGO, ILL.

Largest Radio Store in America

**RADIO**

BUY HERE FOR LESS

Largest Radio Store in America

Radio Supplies purchased here are sold under a positive guarantee of satisfaction. We carry the largest new stock of first quality merchandise

**Complete Parts for Reinartz Circuit**

Includes 1 7x18 Formica Panel, 1 Bakelite Socket, 1 Howard Vernier Rheostat, 23 Plate Condenser, 11 Plate Condenser, 3 Switch Levers, 2 Dozen Switch Points, 1 Reinartz Wound Coil, 1 Variable Grid Leak, 8 Binding Posts, 25 Feet Tinned Wire, 1 Base for Coil, 1 Mounting Base Board, and 1 Diagram to Construct This Set.

Complete ..... \$11.45

**Complete Parts for 2 Step Amplifier**

Can be used to amplify Reinartz, Flewelling, Crystal or any receiving set so that loud speaker or phonograph can be used in place of head-set. These parts consist of 1 Formica Panel 7x10 (or other suitable size), 1 High Ratio Thordarson Transformer, 1 Low Ratio Thordarson Transformer, 2 Howard Rheostats, 2 Bakelite Sockets, 3 Jacks, 13 Binding Posts, 1 Baseboard for mounting, and 1 Wiring Diagram with complete instructions for assembling, with template for drilling panel.

Complete ..... \$12.45

- |  |  |
|--|--|
| Moulded Variometers.....\$3.45                             | Brandes Superior Headset.....\$5.75              |
| 180° Moulded Varicouplers.....\$3.45                       | Phone Connectors (take 4 sets of phones).....35c |
| Mahogany Variometers.....\$1.95                            | Antenella Aerial Plug.....\$1.15                 |
| 180° Bakelite Varicouplers.....\$1.75                      | 3 Coil Honeycomb Mounting.....\$3.45             |
| Freshman Variable Grid Leak and Condenser..... 75c         | 2 Coil Honeycomb Mounting.....\$2.60             |
| CRL Adjustable Grid Leak and Dubilier Condenser.....\$1.35 | WD-11 Bakelite Sockets..... 50c                  |
| Master Baldwin Type C Units with Cord.....\$3.95           | 4 (Four) Way Plug.....\$1.35                     |
| Master Baldwin Type C Head Sets.....\$6.95                 | Barchass Coils.....\$1.95                        |
|  | Firth Cord Tip Plugs..... 60c                    |
|  | Thordarson Amplifying Transformers.....\$2.45    |

**Complete Knockdown Receiving Set**

This includes 2 Variometers, 1 Coupler, 3 Dials, 1 Rheostat, 1 Cunningham Detector Tube, 1 Bakelite Socket, 1 Mahogany Cabinet, 7x18 Formica Panel, 6 Binding Posts, 1 Switch Lever, 12 Switch Points, 2 Stops and 1 Diagram to construct this set. Set is capable of receiving 1,000 miles if installed with outdoor aerial.

Complete ..... \$17.95

**Complete Parts for Flewelling Circuit**

Includes 6x14 Formica Panel, 23 Plate Condenser, 3 Micon .006 Condensers, 1 Freshman Variable Grid Leak, 1 Remler Leak, 2 Coil Mount, 2 Honeycomb Coils, 2 Coil Plugs, 1 Socket, 1 Howard Vernier Rheostat, 8 Binding Posts and 1 Diagram to Wire and Construct This Set.

Complete ..... \$12.45

**VARIABLE CONDENSERS**

- |  |  |
|--|--|
| \$4.30 Value, 43 PLATE, now.....\$1.75 | \$3.10 Value, 5 PLATE, now.....\$1.25  |
| \$3.70 Value, 23 PLATE, now.....\$1.45 | \$2.70 Value, 3 PLATE, now.....\$1.15  |
|  | \$3.30 Value, 11 PLATE, now.....\$1.35 |

**U. S. A. Signal Corps Aviation Type 194-W Western Electric Phones, \$7.95**

Each Phone Cap is covered with large soft rubber ear cushions, and an aviation leather helmet goes with each set! These are the only phones to pass the Government specifications for sensitiveness and loudness, the requirements called for in aircraft reception.

**ORIGINAL BALDWIN PHONES**

- These are the Genuine Nathaniel Baldwin "Mica Diaphragm" Phones, complete with silk cord and headband. Special at..... \$9.95
- Genuine Baldwin "Mica Diaphragm" Type "C" Loud Speaking Units. Special ..... \$4.65

3000 Ohm GUARANTEED HEADSETS, \$8.50 Value..... \$3.65

**FEDERAL JACKS**—Filament Control Single Circuit..... 35c  
Filament Control Double Circuit..... 50c

**MAGNAVOX LOUD SPEAKER, Type R3..... \$34.95**

**HONEYCOMB COILS**

- |                         |   |  |
|-------------------------|---|--|
| 1,500 Turns.....\$1.50  | Rheostats..... 45c  | Lightning Arresters.....95c                  |
| 1,250 Turns..... 1.50   | Sponge Rubber Ear Caps, Pair.....50c                            | 2-Slide Tuning Coils, at.....\$1.95          |
| 1,000 Turns..... 1.25   | Dials, 2, 3 and 3 1/2 inch.....25c                              | Phone Caps, for mostly all phones.....25c    |
| 750 Turns..... 1.00     | Grewol Detectors.....\$1.65                                     | Signal Cps, Hot Wire Ammeters, at.....\$5.45 |
| 250 Turns..... 75c      | Signal Corps Super Sensitive Microphone Transmitters.....\$2.45 | Anti-Capacity Switches.....\$1.50            |
| 150 Turns..... 60c      | Solid Copper Aerial Wire, 100 ft.....35c                        | Lightning Switches.....\$2.65                |
| 100 Turns..... 50c      | Spaghetti Tubing, yard.....10c                                  | Hydrometers, now at.....45c                  |
| 75 Turns.....40c        |   |  |
| 50 Turns.....40c        |   |  |
| 35 and 25 Turns.....40c |   |  |

FORMICA PANEL, 1/8" thick, Black or Brown, Square Inch..... 1 1/2 c

WE GUARANTEE ALL MERCHANDISE PURCHASED OF US  
Mail orders receive immediate attention

BUY HERE FOR LESS

**CHICAGO SALVAGE STOCK STORE**

509 South State Street, Chicago, Ill.

# Radio Digest Illustrated

REG. U. S. PAT. OFF.

Published by the Radio Digest Publishing Company, Inc.  
123 West Madison Street  
Telephone State 4844-4845  
Chicago, Illinois

E. C. RAYNER, Publisher  
Chas. F. Smisor, Editor Evans E. Plummer, Managing Editor  
Harry J. Marx, Technical Editor

Eastern Representative, Jacob Miller, 2126 Broadway, New York  
Telephone Columbus 2390

Pacific Coast Representatives  
E. J. Wood, 251 Kearny St., San Francisco  
Telephone Kearny 1472

H. M. Morris, 417 Western Mutual Life Building, Los Angeles  
Telephone 12011



58 PUBLISHED WEEKLY

### SUBSCRIPTION RATES

Yearly.....\$5.00 | Foreign.....\$6.00  
Single Copies, 10 Cents

Vol. IV Chicago, Saturday, March 17, 1923 No. 10

## Radio Controlled Airplanes

Tremendous Possibilities for Quick Action of Planes

RADIO controls an airplane in a six-hour flight. Not a soul on board but yet the ether waves from the ground turned the trick. Does this seemingly unimportant news dispatch from France have any meaning to you?

Major General Patrick, chief of the U. S. air forces, recently stated that Radio controlled planes would be common in this country before long. That being the case, the lives of many U. S. military pilots will be lengthened considerably. Nowadays, eight years is about the maximum life of our military fliers. They are often maimed for life long before the eight years are up. Radio will prolong the lives of the pilots and make military aviation a more attractive career for youths looking forward to imitating Methuselah.

## Snowbound Farmers

Shut in by Large Drifts, Radio Relieves Monotony

MANY persons living in the country who looked upon Radio as a plaything are now well convinced that broadcasting is a real utility. Recently an eastern state was almost buried under snow. The cities were able to cope with the snow after a fashion, but the country was practically isolated, especially after the wind churned up the snow and drifted roads as rapidly as shovellers and tractors opened them. The farmer was snowed in. Rural mail carriers found it impossible to get through for days. In some cases the telephone lines were temporarily out of commission. Notwithstanding his isolation the farmer with a Radio receiving set was able to get the news of the day.

## Ether Etiquette

The Right of One's Neighbor Should Be Considered

THERE is a certain code of action in every sport, one that is intended to permit the greatest number to enjoy that sport. In the theater, hats are removed. The person who stands in his seat at a ball game is soon requested with "down in front," and if he does not "down" he is apt to be downed. Persons who are noisy during a symphony concert are asked to leave. If you think the matter over for a moment you will appreciate that corresponding features exist in Radio broadcast reception and that "listening in" must be played as a gentlemen's game.

Every Radio receiving station consists of an antenna of some description connected to some type of receiving apparatus. The antenna intercepts and absorbs from the passing magnetic waves a certain amount of energy. This amount will vary with the type of receiver used, the operation of receiver, the size of the antenna and overall the efficiency of the receiving set.

Listeners employing crystal sets can do a great deal of good for other listeners by detuning their sets when they are in use. It is not necessary to disturb the adjustment of the crystal to do this. Merely turn your tune dial or knob, or place your tuning coil sliders to either end of their scales and your set will not absorb the energy that other listeners in wish to pick up.

Most regenerative receivers become miniature transmitters when the regeneration control is placed at a point where the receiver will oscillate. Waves radiated from a station using a receiver in this way can be picked up several blocks away by other regenerative sets.

Every Radiophan has heard the faint whistles and squeals moving over the scales of their sets, spoiling the reception of distant concerts. These whistles are caused by thoughtless fans receiving signals while their sets oscillate. These listeners find the station with their detector tube oscillating and then, by careful adjustment, lower the "beat note" to zero. By keeping the receiver at this central adjustment it is possible to receive signals with the detector tube oscillating. Since the slightest change in either the transmitting station's wave length or the receiving station's antenna or adjustments will cause a growl or squeal, this method is to be discouraged as most impolite and unsportsmanlike.

## Condensed

By DIELECTRIC

Is there any special significance in the fact of thirty-four broadcasting stations failing to renew their licenses to broadcast during the month of January? Are there already enough stations operating to fulfill the needs of the Radio audiences of the country? Everyone of you knows that there are too many using the ether now, on the present allotment of wave lengths. Even with the benefits to come with the ultimate passage of the White bill, it would seem desirable to eliminate some of the less efficient broadcasting stations. We have passed the stage of quantity requirements and entered the quality era. Very few fans are content merely to hear "something." The letter printed in Radio Digest from Rochester, N. Y., is an indication of the modern trend of listeners in away from the cut-and-dried character of program. Something of the 400-meter station requirements must be made to apply to all stations in the very near future.

Homesickness, at least, may be reduced to a minimum by copying the plan of Station WWJ, which proposes to install a receiving set on the S. S. Pastores of the United Fruit Company, so that the passengers (from Detroit) may have the home news daily on their cruise to the tropics. This plan would no doubt work well aboard other vessels within a broadcasting radius of the home station. But what about that other dread malady often accompanying sea travel? If Radio can be used to prevent seasickness as well, then it will be a boon to a large number of voyagers. A reflex circuit might tend to stabilize the undue amount of oscillation set up in the feed-back system of a passenger in a rough sea. The details of this Radio specific I shall leave to some medical fan.

Radiophans in Chicago are going at the silent period program with a vengeance. They first proposed an ordinance compelling one night a week of silence on the part of local broadcasters, so that DX work might pursue its course undisturbed. It looked a little dubious to me, however, since the measure was referred to the committee on "gas." That is the subject in hand, but most such committees favor the gas-er rather than the gas-ee. However, the local plants have agreed on a silent Monday night without recourse to an ordinance. It only goes to show how determined we fans can be to gain our end. "Silence, and mighty little of that," has been the slogan of the vast majority of broadcasting stations, though I'm glad to say that quite a few have lately acceded to the popular demand without being coerced in such forceful manner. It will come to all of us eventually. In the meantime Radio Golf suffers in some quarters.

What becomes of the Radiowl in the light of this warning from the Department of Commerce? Surely the reading of letters and telegrams from Screech and Hoot owls is in contravention to the rule against acknowledging such messages by broadcasting. It is not alone the clan to which I have referred as violating this rule to whom all censure is due. There are many stations in the habit of reading communications from listeners in. This is uninteresting to most of us, as a matter of fact, and probably pleases only those whose names are being read. The revocation of licenses is a stern measure—but enforceable.

I believe much good is to come as the result of the activity of the National Radio Chamber of Commerce. This body is concerned with improving the character of broadcasting programs by eliminating much that is trivial and without real value to the main Radio public. Whether or not it should come within the scope of this organization to use its influence to debar questionable matter from the air, I do not know. That such matter is being broadcast I do know, having heard it. It may be assumed that children should be in bed while these vaudeville skits are being sent out. Quite likely. There are some adults to whom alleged witticisms carry considerable nauseating effects. Of course with the audience in the hall we are not concerned, but the larger audience wishing to hear something worthwhile and clean can hardly be expected to tune in culpable stations as frequently as would otherwise be the case. Before a number of invited guests expectantly awaiting what should come from the loudspeaker, such incidents are not helpful to the game.

Another distance record has been established by Station WHAZ, the Rennselaer Polytechnic Institute, at Troy, N. Y., and one by an amateur, A. G. Leonard, Jr., of this city. In the first instance, concert programs were received in New Zealand over a distance of 10,000 miles, both speech and music being clearly received. Mr. Leonard's record is quite noteworthy for a 200-meter station. His voice was heard by the operator of the Awaru station, at Invercargill, New Zealand, a distance of 8,000 miles. The voice was said to be very plain though weak, while the CW messages were clear and strong. These records are multiplying rapidly and you can look for a new one most any day.

Two large audiences heard speeches simultaneously, the one in Chicago and the other in New York, by means of telephonic communication, while at the same time a much larger audience was listening in to the proceedings through their receiving sets. Honor was paid to the memory and contributions of Dr. Alexander Graham Bell to telephonic development. Radio development has not yet reached the point where a two-way conversation may be carried on between two stations privately. Scientists are working out the principles involved but have not succeeded so far in attaining the desired end. Much that has seemed impossible is now a reality, so that this difficult problem may be solved and become a practical phase of Radiophony.



## RADIO INDI-GEST

(This column is open to all aspiring Radioknuts who tender suitable contributions. Try to "make" the column if you can. All unsuitable manuscripts are turned over to the Office Squirrel who does not guarantee their return or anything else for that matter.—Indi.)

### But What's in a Name?

Dear Indi—

Glancing over some of the programs of the multitudinous broadcast plants, I fain would report that Mrs. Pipes plays (the violin, not the organ) for KGW, Arthur Bean is served Seattle fans a la ether, and Mr. Head and Mr. Stern are now featured at one of the Atlantic Seaboard stations. Oh, yes, Mr. Story recently told a fairy tale for the children listeners of WGI.

—INDIPHAN.

### Oh Ladio!

I called my love by Radio,  
In hopes that she would hear;  
I asked her if she'd marry me,  
And closed it, "Billy Dear."




Oh! sad is my predicament—  
Indeed a sorry mess;  
When I tuned in my receiving set  
I heard forty answer, "Yes!"  
—LORD JEFF.

### Here's an Old One in a New Setting

A director of a broadcasting station was asked by a prospective user of the service what the charge was. "One hundred dollars for the first ten minutes" was the answer. "All right," said the prospect, "we'll skip the first ten minutes."

### His Type Cornered All the Gold Bricks

The Office Squirrel sez he heard of a so-called Radiophan who is so dumb he thinks COD is a broadcasting



station. Said dumbbell also thinks all noises other than music are created by the died-in-the-wool DX worker next door who has only been "in Radio" for ten years or more.

O. O. McIntyre, the famous New York writer, recently said, "Talking by Radio is just like talking into a knot hole."  
—G. C. C. JR.

# A. B. C. Lessons for Radio Beginners

## Chapter XI—The Vacuum Tube as an Amplifier

By Arthur G. Mohaupt

**A**mplification in Radio refers to strengthening or increasing the intensity of the signals received and detected. Prior to the perfection of the three-electrode vacuum tube, numerous attempts had been made to produce or develop some amplifier device, but all attempts were without real success. With the advent of the vacuum tube, however, the problem was solved quickly, for not only can the vacuum tube be used as a detector of Radio signals, but under the proper conditions can also be used as an amplifier of the rectified oscillations existing in the output or plate circuit of the detector tube. Exactly how this can be accomplished will now be explained.

### The Vacuum Tube as an Amplifier

Although the average detector tube can also be used as an amplifier with some degree of success, better results can be obtained if a specially prepared tube, known as an amplifier tube, is employed. Although an amplifier tube greatly resembles a detector tube in its mechanical construction, it differs, however, in that a much higher vacuum exists within the amplifier tube. In fact, the degree of vacuum is practically as high as can be obtained with modern exhausting apparatus.

On account of this higher vacuum the amplifier tube is often referred to as a "hard tube" to distinguish it from the soft detector tube in which there are still small quantities of gas left. The higher vacuum makes it possible to employ a much higher plate pressure, and hence the oscillations impressed on the grid can be greatly amplified without in any way distorting or altering the nature of the signals.

### General Operation of Tube

In order to understand fully how a three-electrode vacuum tube adds as an amplifier, let us review briefly the general operation. We will remember that as the filament of a tube is heated, negatively charged electrons are emitted which fill the interior of the tube. If then a positive potential is applied to the plate from some source of electrical energy, such as a group of dry cells, the electrons are attracted toward the plate and render the intervening space a good conductor of electricity.

A current can then flow in the plate circuit, the energy being supplied by the dry cells. Between the filament and the

filament and grid where they undergo rectification and are reduced to oscillations at an audio frequency. These audio frequency oscillations are then sent into the primary of the transformer and induce current oscillations of a much greater potential in the secondary circuit. These oscillations are then impressed

the decreases, the signals would be distorted and the sounds heard would not be very pleasant.




Figure 41

voltage alternations will cause corresponding increases and decreases in the plate circuit current—with the difference, however, that the intensity of the electrical oscillations in the plate circuit is much greater than that of the oscillations initially impressed upon the plate and grid. The necessary additional energy is supplied by the battery supplying the high plate pressure.

The alternating electromotive for operating the input circuit of the amplifier tube is generally obtained by means of a transformer connected into the output circuit of the detector tube. This transformer is of the step-up type, so that the change of voltage impressed on the grid will be as high as is practically possible. Very slight, practically no current is required to affect the grid, and hence large voltage variations can be created in the plate circuit by supplying only minute quantities of energy to the grid circuit. It is for this reason that the three-electrode vacuum tube can be used so effectively as an amplifier of electrical oscillations.

### Connections for Amplifying Tube

In Figure 40 is shown a wiring diagram illustrating the scheme of connections used when an amplifying tube is used in connection with a transformer for amplifying the electrical oscillations in the output circuit of a detector tube. D is the detector tube with the connections M and N leading to the tuner. In the plate




Figure 40

plate is the grid in the form of a screw or woven network of fine wires. The electrical condition of this intervening grid has the ability to control the electronic emission and hence also the flow of current in the plate circuit.

If the grid is negatively charged, it repels some of the electrons back upon the filament and thus weakens the plate current. On the other hand, if the grid is charged positively, it attracts the electrons on their way to the filament, increases the number that are emitted from the filament, and in this manner strengthens the current flowing in the plate circuit.

### Detector and Amplifier Action

That the tube may function as a detector or rectifier of electrical oscillations, the relative electrical conditions of the three elements or electrodes has to be such that a positive charge on the grid produces a greater increase in plate current flow than the decrease in plate current flow caused by an equal negative charge.

In this manner a unidirectional pulsating current is set up in the plate circuit, and the envelope of these direct current oscillations correspond in all details to the electrical oscillations that are initially sent out at the transmitting station.

That the tube may act as an amplifier of electrical oscillations, the relative electrical conditions of the three electrodes must be slightly different. The conditions must be such that equal positive and negative variations of the grid potential will cause correspondingly equal increases and decreases in the plate circuit current. This state of affairs is effected by applying a higher positive pressure to the plate of the tube. If the increases in plate current were greater or less than

the filament and grid where they undergo rectification and are reduced to oscillations at an audio frequency. These audio frequency oscillations are then sent into the primary of the transformer and induce current oscillations of a much greater potential in the secondary circuit. These oscillations are then impressed

the amplifier tubes are said to be connected in cascade—the word cascade meaning one on top or above the other. It is seldom advisable, however, to employ more than two stages of such cascade amplification, for as was stated, undesirable distortion of the signals is otherwise likely to result.

This method of amplifying the audio frequency oscillations of the output circuit of the detector tube is also commonly referred to as audio frequency amplification since it affects or amplifies the audio frequency oscillations.

### Connecting Amplifying Tube in Cascade

In Figure 41 is illustrated the method of connecting two amplifier tubes in cascade. Such an arrangement is known as a two-step or two-stage amplifier. As is shown, the output circuit of the detector tube is connected through an audio-frequency transformer to the input circuit of the first amplifier tube. Into the plate circuit of this amplifier tube is connected the primary of a second audio frequency transformer, and the secondary of this transformer is in turn connected into the input circuit of the second am-

(Continued on page 12)

**LEARN RADIO**

Here's your opportunity. Radio needs you. Win success in this fascinating field. Trained men in demand at highest salaries. Learn at home, in your spare time.

**Be a Radio Expert**

I will train you, quickly and easily, to design, construct, install, operate, repair, maintain, and sell all forms of Radio apparatus. My new methods are the most successful in existence. Learn to earn **\$1,800 to \$10,000 a Year**

**FREE** Wonderful, home-construction, tube receiving set, of latest design. Write for "Radio Facts" free. Engineer Mohaupt.

**American Electrical Association**  
Dept. 243A 4513 Ravenswood Ave., Chicago

**WILLARD**  
WILLARD RADIO COMPANY  
DEPT. R. D., 291 BROADWAY, NEW YORK  
3/17/23

**REINARTZ CIRCUIT**  
EVERY PART COMPLETE  
1 Reinartz wound coil, 1 tube socket, 1 Vernier rheostat, 1 23-plate .0005 MFD variable condenser, 1 13-plate .0025 MFD variable condenser, 3 inductance switches, 25 switch points and nuts, 8 binding posts, 1 variable grid leak, 1 .002 MFD phone condenser, 25 feet bus bar wire, 1 high grade Radiol panel and diagram and complete instructions... **\$10.00**

**FLEWELLING Circuit**  
EVERY PART COMPLETE  
2 honeycomb coils, 1 2-coil mounting, 2 coil plus, 3 .005 condensers, 1 variable grid leak, 1 grid leak, 1 23-plate .0005 MFD variable condenser, 1 Vernier rheostat, 1 tube socket, 8 binding posts, 20 feet bus bar wire, 1 high-grade RADION panel, 1 3" dial and the Radio Digest Booklet on Operation and Construction of Circuit... **\$11.00**

**TWO STAGE AUDIO FREQUENCY AMPLIFIER**  
EVERY PART COMPLETE  
1-7x9 Panel, 2 Audio Frequency Transformers (5 to 1 Ratio), 2 Rheostats, 2 V. T. Sockets, 3 Jacks (Double Circuit), 7 Binding Posts, 1 Variable Resistance Leak, Necessary Bus Bar Wire... **\$11.00**

**CONDENSERS**

- 3 Plate Variable; value, \$1.75... \$1.05
- 13 Plate Variable; value, \$2.50... 1.20
- 23 Plate Variable; value, \$3.50... 1.35
- 43 Plate Variable; value, \$4.50... 1.85
- 13 Plate VERNIER; value, \$5.50... 3.75
- 23 Plate VERNIER; value, \$6.00... 4.00
- 43 Plate VERNIER; value, \$6.50... 4.25

**AUDIO FREQUENCY TRANSFORMER**  
Designed for Use with W. D. 11 Tubes, List, \$4.50, Price, \$2.75

**V. T. SOCKETS**

- Nickel brass sleeve, composition base; value \$1.00; special at... \$0.50
- Ball Bearing Inductance switch; value, 75c; special at... \$0.30
- Double Coil Mountings... 2.50
- Triple Coil Mountings... 3.50

**BEST QUALITY JACKS, Single circuit;**

- value, 65c; special at... .30
- Double circuit; value, 90c; special at... .45

**VARIDCOUPLER**—Caloron condensite and Litz Wire wound secondary; value, \$4.50; special... 3.25

**THREE-INCH DIALS**—Unbreakable—heat resisting composition—high finish; special... .30

**TWO-INCH DIALS**—Same design—for rheostats and potentiometer; special... .25

**EXTRA SPECIAL**  
Telephone 3000 Ohms Headsets; \$9.00 value; reduced to... \$3.50

**RAYMOND VERNIER RHEOSTATS**—Value, 1.50; special... .95

**REINARTZ COILS**  
Value \$2.50... \$1.75

**ALUMINUM LOUD SPEAKING HORN**—Nickel plated—highly polished; \$8.00 list... \$3.75





Figure 40

or output circuit, instead of having the telephone receiver, we have the primary winding of an iron-core step-up transformer. The secondary of this transformer, in turn, is connected across the filament and grid of the amplifier tube T. Into the plate circuit of this tube the telephone receivers are then connected in series with the high-voltage battery B-2.

The circuit arrangement operates in the following manner:

When the receiving apparatus is tuned to the frequency of the incoming electrical oscillations, these are impressed upon



### Foote's Hand-made Triple-Test Crystal

"Puts its Best Foot Foremost"

Its supersensitive side is up and has loudly received broadcasting. Guaranteed QSA (your signals are strong). Look for the "TF" on the back.

Distributors and Travelers Wanted. Liberal Commissions. Large Sales. Quantity Production. Wire Territory Desired.

**FOOTE MINERAL CO., Inc.** Manufacturers and Wholesalers  
107 North 19th Street, Philadelphia, Pa.  
Established 1876

Every article advertised above is guaranteed both by the manufacturer and by us—Mail orders filled immediately—transportation PREPAID on all orders of \$5.00 or over east of the Mississippi River. All others include postage.

# Tapped Coil and Variocoupler Circuit

## Feed Back Produced by Two Coils on One Tube

The materials necessary to make the hook-up shown in the accompanying illustration consist of one variocoupler, one 43-plate condenser, one tapped coil on a

### WORKSHOP KINKS? EARN A DOLLAR—

There are many little kinks worked out at home that would aid your fellow Radio worker if he only knew about them. There are new hook-ups, new ways of making parts and various unique ways of operating sets that are discovered every day. Radio Digest is very much interested in securing such material. Send them in with full details, including stamped envelope so rejected copy may be returned. The work must be entirely original, not copied.

RADIO KINKS DEPARTMENT,  
Radio Digest Illustrated,  
123 West Madison St., Chicago, Ill.

tube three inches in diameter and 12 inches long, one detector unit and other accessories such as B battery, headset, etc.

In a way the circuit is critical. The secondary of the coupler must be turned until regeneration is obtained. When once at this point, the set can be left alone, but still it will tune out the little fellow. The tapped coil consists of two separate coils, wound in the same direction but not connected. They are each tapped. About 40 turns of No. 16 or 18 wire is used for the aerial inductance. The upper portion should be the aerial inductance, and the lower the plate feed back.—Willard Tolhis, Bethesda, O.

## A. B. C. LESSONS

(Continued from page 11)

plifier tube. Into the output circuit of this tube the telephone receivers are connected in series with the battery B-2.

As was stated before, a higher plate pressure is needed for amplifier tubes than is required for detector tubes. The B batteries used in amplifier circuits generally have a pressure of 45 volts, although pressures even as high as 67 and 90 volts are sometimes used. Often a single 45-volt B battery is used with a 22½-volt tap, the plate circuit of the detector tube being connected to this tap while the plate circuit of the amplifier tubes is connected to the 45-volt terminal.

### Audio Frequency Transformers

The transformers used for linking the output circuit with the input circuit of the next amplifier tube are known as audio frequency transformers, for they are used to step-up the voltage of the audio frequency electrical oscillations impressed across the primary winding.

The number of times that a transformer steps up the voltage depends upon the relative number of turns in the secondary and primary windings. Transformers are consequently rated according to the number of times they step up the voltage, this factor being termed the transformation ratio. A 10 to 1 transformer steps up the voltage ten times. It also has ten times as many turns on the secondary winding as on the primary winding.


Whenever two stages of audio frequency amplification are employed, it is better to use two transformers having a different voltage ratio, especially if the ratio of the first is high. If the first transformer has a 10 to 1 ratio, it is better to use for the second transformer one having a ratio of 5 or 3 to 1. However, equally good results can be obtained, and some claim even better, if two transformers of the same ratio are used, providing the transformation ratio is not too high. Thus, very good results can be obtained by using two transformers each having a 5 to 1 ratio.

### Radio Frequency Amplification

Often when the receiving apparatus is not very sensitive, or when the transmitting station is so far away that the incoming waves are too weak to properly affect the detector, it is possible to strengthen or amplify these signals before they reach the detector tube. Such amplification is known as Radio-frequency amplification, for the oscillations that are being strengthened or amplified are still at a Radio frequency.

The same amplifier tubes as were used for audio-frequency amplification can also be used for Radio frequency amplification. However, any number of steps of Radio-frequency amplification can be used without in any way affecting the quality of the signals. The successive steps of Radio-frequency amplifiers can be linked to each other in several ways, although Radio-

## HOOK-UP FOR SELECTIVE TUNING



frequency transformers are most commonly used. These transformers differ from the audio-frequency transformers mentioned above in that they do not contain an iron core.

### Regenerative Amplification

Another form of amplification used very extensively is that known as regenerative or regenerative amplification. In regenerative amplification the plate circuit of the detector tube is tuned by means of some form of inductance, such as a variometer, until it has exactly the same oscillation frequency as that of the incoming waves. Under these conditions some of the energy of the plate circuit is actually fed-back upon the grid circuit, with the result that it is again sent through the detector tube and amplified to a large extent.

Each of these methods of amplification will be taken up in detail in later chapters, where practical instructions will also be given for constructing the various types of amplifiers.

## TWO SUPERSENSITIVE CIRCUITS

My Highly Improved Reinartz brings in all important stations on both coasts and Mexican border, loud, clear and without distortion. We dance to music from Atlanta received on one loud Baldwin unit. Build one of these wonderful sets from my blueprints and specifications, price 50c, or with a perfect and complete double wound spiderweb coil, \$3.00 by mail. No other windings used. Photo of my set on a glass panel with every order.

My W. D. -11 Circuit is especially designed for use with the "pickle" tube and brings out the full value of that little tube as no other circuit can. Stations 1000 miles away come in clearly on one tube. This act is small, complete, portable. For the man who wishes the highest efficiency this is the set to build. Price of blueprint and specifications \$1.00, or with complete and perfect windings \$5.00. Photo of set with every order.

Either set is cheap and easy to build, easy to operate. Everything clearly shown. Please don't send stamps. S. A. Twitchell, 1925 Western Ave., Minneapolis, Minn.

### WD-11 OUTFIT (PEANUT TUBE)

This wonderful dry battery outfit with a range of 600 miles comes to you ready to assemble, panel drilled and marked, mahogany finished box, condenser ready to screw in place. Variocoupler wound complete, rheostat, dials, binding posts, socket, wire, screws and picture diagram for wiring, all at above price.

Two-stage Amplifier Box to match the above, \$14.15  
Variocouplers, \$4.00 value..... 2.85  
Variometers, \$4.50 value..... 3.10  
Transformers, \$4.50 value..... 3.75  
Reinartz tuning coil, \$3.00 value..... 1.85  
Rheostat, \$1.00 value..... .50  
Sockets, \$50 value..... .38  
1½" switch lever, 50c value..... .30  
Baldwin type "C" phones, \$12.00 value..... 9.00  
Frost or Murdock phones, \$5.00 value..... 4.25

Postage extra. No personal checks received. Let us quote on your wants.

**RADIO PARTS CO.**  
8 So. Austin Boulevard, CHICAGO, ILL.

## Chapter Twelve

The practical construction of a two-stage audio frequency amplifier, as well as a detector employing regenerative amplification will be taken up in Chapter Twelve. Everyone interested in the construction of either of these circuits should not miss this most important chapter.

## HEAR ATLANTA ON CRYSTAL

We receive programs from Atlanta, Minneapolis, Davenport, Fort Worth, Dallas, Kansas City, St. Louis, Denver, San Antonio on crystal without batteries. Your crystal set requires only easy, inexpensive changes. Send stamp for further information, or \$1 for copyrighted drawing and instructions. Everything clearly explained. Satisfaction guaranteed. LEON LAMBERT, 505 South Volutsa, Wichita, Kan.

## ATWATER KENT

Dealers LITERATURE and DISCOUNTS ON REQUEST

### HUDSON-ROSS

123 W. Madison St. Chicago

## GOV'T RADIO STORAGE BATTERIES

New Signal Corps Batteries, Edison 3 cell type BB-4, \$4.50; Edison single cells for W. D.-11 tubes, \$1.50; Edison 60 A. H. for W. D.-11 tubes, \$5.25; 6 volts Edison, \$7.75; "B" battery Edison, single elements, 4c each; double, 10c each.

**PEANUT TUBES**  
Wonderful det. and amplifier, smallest tube made; aeroplane atyle, 1 Volt ¼ Amp. ½" dia. x 2½" long. Just a few at \$9.50. Act quick if you want a real pocket set tube. FULLY GUARANTEED.

**FLEWELLING .006 CONDENSERS & PARTS**  
.006 Bakelite mounted Ruby Mica-Copper N. P. binding posts, set (3) \$2.90. Var. Grid Leaks (clearer music, louder signals on any cir.), 75c. Var. Grid Cond., .00025 or .0005 max., 45c. Spec. Flew. Audio Trans., \$3.45. Spider coils, easier tuned, clearer signals; green silk on Bakelite, \$1.75 each.

**REINARTZ LATEST COILS AND PARTS**  
Double green silk wire on polished Bakelite spider, \$1.95; Reinartz plate circuit chokes (triple adjustable), \$1.70. Special Reinartz Audio Transformer with diagram, \$3.35. Complete set Reinartz tuner and detector parts, \$10.65. Tuner Det. and 2 stage parts, \$17.95. 2 stage outfit, \$8.35.

**HI-POWER Loud Speaker with pair latest Baldwin Phones, \$10.90.**

**HI-POWER AMPLIFYING TRANSFORMERS**  
Best! Loudest! No hum-out. \$2.65 with spec. diagram.

**RADIO FREQUENCY IRON AND PARTS**  
.003 Iron for cores; special wire and forms to construct B. F. Trans. of highest efficiency. Detail plans, 50c.


**REFLEX CIRCUIT TRANSFORMERS**  
Special Reflex Trans. and Diag. that really works, \$3.65.

**VERNIER FOR VARIABLE CONDENSERS**  
Works with any condenser. Requires no extra space, 95c. Armstrong Super, new 3 tube outfit, beautifully built, at sacrifice.

**30 OHM RHEO. FOR 201-A or W. D.-11 tubes, \$1.60.**  
8 ohm for new DeForest tubes, \$1.55.  
Include postage with order. Write for complete list. **QUALITY RADIO SHOP, RICHMOND, IND.**

## One Knob Control for Tuning a Crystal Set

The set described is tuned completely by means of a variable condenser, the inductance being fixed. The detector may be of any make, but I would suggest the use of a Grewol. The variable condenser is of the Crosley make, which is in the form of a book. The antenna is 300 feet long and 50 feet high, and the inductance consists of a 2½-inch cardboard tube wound with 75 turns of magnet wire.



Of course, if the antenna is shortened, the number of turns on the inductance must be increased. With this set the writer has heard all of the local stations as well as WBAP, Fort Worth, Texas, which is 250 miles distant. Two other stations were easily heard, WDAF, a powerful station in Kansas City, Mo., 650 miles away, and WFAA of Dallas, Texas.—Milton Hobbs, Houston, Texas.

IMPROVED RADIO DETECTOR TUBES.....	\$2.75
IMPROVED RADIO AMPLIFIERS .....	\$3.35
W.T.501 PEANUT TUBES WITH ADAPTER.....	\$2.75

Sent on receipt of price, prepaid

**LUX MANUFACTURING CO.**  
1045 No. Wells St. CHICAGO, ILL.

## ADJUSTABLE COIL MOUNTINGS FOR FLEWELLING CIRCUIT

Triple Coil Mounting.....\$5.00 List  
Double Coil Mountings..... 3.50 List

A patented feature locks the coil in place and prevents the coil from being thrown out of adjustment once station is tuned in.

Licensed under U. S. De Forest Pat. 1365170

Special write for dealers discounts

**ASTORLOID MFG. CO., Inc.** 416 Marcy Ave. Brooklyn, N. Y.

## Radio Distances Easily Read

Use Cram's Detailed Radio Map covering the United States and Canada. Just one hundred miles to the inch. Map plate 30x20 inches, on sheet 34x28 inches. Latest call numbers at sides and bottom. Used by Radio Digest and other Radio Experts. Radio Districts and headquarters and time divisions. New edition now ready. Ideal for the purpose.

POSTPAID

Pocket Form .....	\$0.35
Heavy Paper in Tube.....	.50
Wall Style Wooden Rollers.....	1.50
On Heavy Board for Tacks.....	6.75

Special quantity prices to trade and advertisers

**The George F. Cram Co.**  
111 N. MARKET STREET  
DEPT. RD CHICAGO, ILL.

## Delicate Soldering

Both the manufacturers' and amateurs' problems on all fine work are readily solved by the instrument constructed for this particular purpose.

**THE POST SOLDERING IRON**  
Platinum Heating Unit—Interchangeable Tips—Universal Current  
Large & Small

ONE-HALF ACTUAL SIZE

6 Awarded Certificate of Excellency, N. Y. Evening Mail Radio Institute  
From your Dealer, or write

**POST ELECTRIC COMPANY (Dept. 509), 30 E. 42nd St., New York**

# Questions and Answers

### Patent Situation

(1799) GLR, Newport News, Va.  
 The Flewelling circuit, featured in your paper, presents some interesting aspects for marketing in this city. We must cover distance here, the nearest broadcasting station being over one hundred miles, and the price of the instrument must be within reach of the average pocketbook. The Flewelling tuner meets these requirements.  
 We are anxious to manufacture and market such a tuner and would like some information regarding the legal side of this circuit. What would be necessary in order to build and market this instrument complete? Could this instrument be sold completely assembled with the exception of the wiring (directions for wiring and operating to be furnished with set) without infringing on any patents? We would also like to know if instruments such as the single circuit with tickler coil regeneration could be sold assembled but not wired, or with everything except the plate circuit wired?

A.—Armstrong undoubtedly may, in time, get his patent on the super-regenerative principle. This patent may take two years to be adjudicated. Whether the circuit is super-regenerative has been questioned. Regardless, Flewelling has applied for patent rights.

Therefore, direct and complete manufacture of the set for sale would render you liable for infringement.

However, sale of the parts, or the parts assembled except for the wiring, should not constitute an infringement. Directions for completing the wiring may also be sold legally.

This same treatment is, I am sure, applicable to any other patented circuit.

If you will read the main front page story in the December 23rd issue, you will learn some few points of interest to you and regarding some Radio patents.

### Plate Voltage of Flewelling

(2209) VH, Geneseo, Ill.  
 In the description of the Flewelling circuit which was given in the Radio Digest for October 21, 1922, the statement was made that the plate voltage could vary from 18 to 250 volts, but that 110 volts was very good. Beginners in the con-

struction of Radio receiving sets, who had decided that they would make a "divver," might think this meant that the 110 volt lighting current would work, if it was direct current; in fact, the wording of the sentence suggests that very thing. However, such a connection would prove disastrous because the high amperage of the lighting circuit would scatter the bulb over the landscape. In this same connection, do not use ignition or telephone dry cells in the construction of a B battery, because their amperage is also too high.

A.—Noting your criticism of grammatical construction in description of plate voltage employed in Flewelling circuit as described in October 21st issue of Radio Digest, we do not detect any ambiguity and even though it were misinterpreted as suggested no greater damage than the possible blowing of a fuse would result. However, you are correct in statement that it wouldn't work.

### Indoor Antenna

(2223) JLP, Wamego, Kan.  
 I have assembled a receiving set consisting of detector and two stages audio amplification and have had very satisfactory results with it. My antenna is about 130 feet long and 40 feet high and built of stranded wire. I have received practically every large station in the United States, including KHJ at Los Angeles, KDKA at Pittsburgh, WGY at Schenectady, WJZ at Newark, etc., and have also received Havana PWX. I have been able to run these stations through my loud speaker very satisfactorily.

In experimenting with an indoor antenna I put up one of stranded wire on the ceiling, the wire being about 12 feet above the ground level. By altering a few connections I received the following: WLW at Cincinnati, WBAP at Fort Worth, WFAA at Dallas, WOC at Davenport, DN4 at Denver, KHJ at Los Angeles, WSB at Atlanta, and WLAG at Minneapolis. All

these were received the same evening on the detector and one stage audio frequency. They came in just as strong and clearer than with the outside antenna hooked up as before.

I would like to know if these are unusual results with an indoor antenna such as I have described. If it is unusual it is on account of the different hookup I discovered experimenting with the new antenna. Being a reader of several Radio magazines I thought you would be the most responsible authority on this subject. I will certainly appreciate any information you can give me and will advise of any further developments I might find to advance the science of Radio.

A.—In our opinion the reception you have accomplished under experimentation with an indoor antenna is much beyond the usual and worthy of congratulation. Many of the most valuable contributions to the science of Radio have come from amateur operators and Radio is indebted to a great extent to such for its present benefits.

### Dry Batteries on Crystal Set

(2322) LB, Bonner Springs, Kan.  
 Will a few dry batteries improve the wave lengths of my crystal detector set? If so, please tell me how to connect them to it.

A.—The employment of dry cell batteries, or any other kind of battery, has absolutely no effect upon wave length range.

### Loop Aerial

(2117) RPJ, Clinton, Ill.  
 Will you please answer through your column of the Radio Digest, what size wire, and how large should a loop aerial be made.

A.—A three foot square frame having six or eight turns of number fourteen wire, spaced one-half inch apart makes an effective loop aerial.

### Plate Voltage on WD-11

(2053) AVH, Oelwein, Ia.  
 Please advise how much Plate or B battery to use on the WD-11—dry cell tube in the Flewelling circuit?

A.—Answering your inquiry would advise that about forty-five volts are sufficient plate voltage for WD-11 tubes.

## Burgess "B" Batteries

NEW STOCK—Guaranteed Our

No.	Volts	(hrs.)	List Price	Our Price
No. 4156	22½	100	\$1.75	\$1.39
No. 5156	22½	250	2.25	1.69
No. 2156	22½	1200	3.00	2.29
Binding Posts	Per doz.			.05
Switch Points	Per doz.			.10
DIALS, 4-inch Moulded, ¼-inch shaft				.25

Cash with Order or C. O. D.

Quality Radio Supply Co.  
 Box 65 LA GRANGE, ILL.

WHAT DO YOU SET YOUR RADIO ON?  
 IS IT CONVENIENT, CONFINED AND ATTRACTIVE?  
 IF NOT ORDER TODAY A

## ROBBINS RADIO DESK

IN OAK OR MAHOGANY FINISH \$22.50

THE IDEAL PROVISION COMBINING YOUR RADIO OUTFIT WITH ATTRACTIVE FURNITURE. YOU WILL BE PROUD OF YOUR SET ON A ROBBINS RADIO DESK WITH ALL WIRES, BATTERIES AND OTHER DISPLEASING PARTS HIDDEN FROM VIEW.

For sale by reputable radio and furniture dealers or write

ROBBINS WOODWORKING CO., LIBERTYVILLE, ILL.

## TRIMM PHONES

3000 Ohm, \$7.65; 2400 Ohm, \$5.00

### Real Dealer Discounts

DUNGAN RADIO CO.  
 63 WEST WASHINGTON ST., CHICAGO

## FLEWELLING

ALL PARTS NECESSARY  
 DEALERS: ATTRACTIVE DISCOUNTS

## HUDSON-ROSS

123 W. Madison St. Chicago


Freshman Products, Especially Adaptable

## FOR THE New Flewelling "Super" Circuit

VARIABLE RESISTANCE LEAK



with .00025 mfd. Micon Condenser combined \$1.00  
 without Condenser \$0.75



### MICON

"Tested Micon Condensers"  
 .001 .....40c  
 .006 .....\$1.00

At your dealers—otherwise send purchase price and you will be supplied without further charge.

Chas. Freshman Co., Inc., 106 7th Ave., New York City

Thousands of Satisfied Boosters Attest to the Superiority of the Genuine and Guaranteed

## "All Wave" Coupler

TRADE MARK

Wave Length—150 to 3,000 Meters

### Why Be Confined

To listening in on nearby stations, when the "All Wave" coupler in your set will enable you to receive broadcast reception from stations thousands of miles distant?



### Be Prepared

To receive on the higher wave lengths that have been and will be allotted to broadcasting stations because of their ever increasing number.

THE "ALL WAVE" COUPLER COMBINES

SIMPLICITY OF EFFICIENCY

Price \$9.00

ASSEMBLY AND OF RESULT

Inasmuch as all variometers, variocouplers and loading coils are eliminated. Six efficient hook-ups sent upon receipt of ten cents in stamps to cover cost of mailing.

## CAPITOL PHONOLIER CORPORATION

Dept. "R. D." 58 Lafayette Street, New York City

# Free

## Your Choice

BOUND VOLUMES  
 Numbers Two or Three  
 with One Year's Subscription  
 to RADIO DIGEST

POSTPAID BY PARCEL POST

Limited Quantity Better Hurry

Radio Digest Illustrated Volume Two

Radio Digest Illustrated Volume Three

65 Numbers

13 NUMBERS IN THE BOUND VOLUME  
 52 NUMBERS IN YEAR'S SUBSCRIPTION  
 VOLUMES TWO AND THREE

Now Ready for Delivery. Parcel Post Prepaid, Each Only \$2.00  
 Do account of the limited supply, the sale of these bound volumes is limited strictly to those readers of the Radio Digest who have subscribed for a year.  
 One year subscription to Radio Digest and both bound volumes 2 and 3 ..... \$7.00  
 By subscribing now for one year to the Radio Digest you get both BOUND VOLUMES 2 AND 3, 25 numbers, with one year's subscription, for \$7.00.  
 ALL ORDERS MUST BE SENT DIRECT—No orders on this offer will be accepted through subscription agents, news dealers or other sources. Check, money or express orders (no stamps) must accompany all orders.

GREATEST COLLECTION OF RADIO INFORMATION EVER PUBLISHED

VOLUME TWO

Questions Answered	300
Simple Instruction Articles	30
Receiving Set Diagrams	3
How to Make Articles	66
New Apparatus	46
Pictures and Illustrations	359
Hookup Diagrams	142
Broadcasting Stations	17
Technical Articles	10
Book Reviews	78

VOLUME THREE

Questions Answered	300
Simple Instruction Articles	28
Receiving Set Diagrams	100
How to Make Articles	29
New Apparatus	200
Pictures and Illustrations	75
Hookup Diagrams	10
Broadcasting Stations	18
Technical Articles	18
Book Reviews	77

COUPON

PUBLISHER, RADIO DIGEST,  
 123 West Madison St., Chicago, Illinois.

Please reserve me Bound Volume Number Two and also Number Three and one year's subscription to the Radio Digest, for which I am enclosing check—M. O. for Seven Dollars.

Please reserve me Bound Volume Number Two or Three and one year's subscription to the Radio Digest, for which I am enclosing check—M. O. for Five Dollars.


Name.....  
 Address.....  
 City..... State.....



Andree Lafayette, descendant of the famous General, is shown here listening in on a set at the Permanent Radio Show at the Hotel Imperial, New York City. Mlle. Lafayette is a great granddaughter of that historic beauty, the Countess Valtesse de la Bigne. A message was received at the time from Station KWA, Los Angeles © U. & U.



An informal ten-minute talk by Bernays Johnson from the Wanamaker Station WOO on Radio minerals and how to operate a loud speaker on a crystal set brought forth the world's record of 5,600 letters. This is by far the largest number of letters received by any station in response to a short talk of any nature



A new transmitter invented by Dr. Phillips Thomas. With this transmitter it is said that music and other sounds are broadcast exactly as produced. In this transmitter the new diaphragm takes the place of the usual form. A minute electrical discharge takes the place of the mechanical disk. It is affected by the sound waves just like the diaphragm and responds well to all vibrations

All broadcasting stations throughout the nation are adopting some means of designating their stations by means of a slogan, chime bells or a whistle. From the great Southwest where the cattle roam the prairies comes the jingle of cow bells. The illustration shows these bells that sound out their tones from Station WBAP at Fort Worth, Texas